
From: Rosenthal, Adam (DEQ)
Sent: Friday, February 27, 2015 1:57 PM
To: Prysby, Mike (DEQ); Busch, Stephen (DEQ)
Subject: FW: Lead Copper Cert form
Attachments: 212 Browning Pb & Cu sample info.pdf

FYI

From: Michael Glasgow [<mailto:mglasgow@cityofflint.com>]
Sent: Friday, February 27, 2015 1:53 PM
To: Rosenthal, Adam (DEQ)
Subject: Re: Lead Copper Cert form

Adam,

Here is the copy of the lead & copper sample info from 212 Browning.

Mike

On Fri, Feb 27, 2015 at 1:26 PM, Michael Glasgow <mglasgow@cityofflint.com> wrote:
Adam,

Here are the 4th Qtr WQM results & the Lead & Copper Report. This hit for 104 ppb on lead come from the current 2015 monitoring period, I am attempting to get more samples from the neighbors around this site. This is a new Pb & Cu site, that was not sampled during the 2014 monitoring period.

Mike

On Fri, Feb 27, 2015 at 9:13 AM, Rosenthal, Adam (DEQ) <ROSENTHALA@michigan.gov> wrote:

Morning Mike, I need your lead/copper cert form – it was due by 1/10/15. I also need your 4th quarter WQPs for 2014. EPA is asking due to your 104 hit on lead. If you can, I need them today.

thanks,

Adam Rosenthal, EQA

MDEQ – Office of Drinking Water and Municipal Assistance

Lansing District – Constitution Hall 1SW

PO Box 30242

Lansing, MI 48909

517-284-6644

fax: 517-241-3571

For MORs, Lab Results & Reporting Forms

DEQ-DWMA-Lansing@michigan.gov