

From: [Crooks, Jennifer](#)
To: [Shekter Smith, Liane \(DEQ\)](#); [Benzie, Richard \(DEQ\)](#); [Busch, Stephen \(DEQ\)](#); [Prysby, Mike \(DEQ\)](#); [Cook, Pat \(DEQ\)](#)
Subject: FW: flint --> even more links
Date: Tuesday, September 08, 2015 9:10:15 AM

Did you all see these on-line articles?
Jennifer

From: Porter, Andrea
Sent: Friday, September 04, 2015 10:40 AM
To: Shoven, Heather; Crooks, Jennifer; Deltoral, Miguel
Cc: Poy, Thomas
Subject: flint --> even more links

Hi All,

There's a flurry of new articles:

<http://www.mlive.com/news/flint/index.ssf/2015/09/mayor.html>
http://www.mlive.com/news/flint/index.ssf/2015/09/lower_tthm_levels_moves_flint.html
<http://www.wset.com/story/29959080/flint-plans-measures-to-reduce-lead-in-drinking-water>

I'm sure there will be more.

Thanks,
Andrea Porter

Environmental Engineer
Ground Water & Drinking Water Branch
U.S. EPA, Region 5 (WG-15J)
77 W. Jackson Blvd.
Chicago, IL 60604
Phone: 312-886-4427
Fax: 312-697-2656

From: Porter, Andrea
Sent: Friday, September 04, 2015 10:28 AM
To: Shoven, Heather; Crooks, Jennifer; Deltoral, Miguel
Cc: Poy, Thomas
Subject: flint --> another article link

Hi All,

Looks like the Flint Pb water story is getting even more press:

<http://nbc25news.com/news/local/new-report-questions-quality-of-flints-drinking-water-city-officials-dispute-report>

Thanks,
Andrea Porter

Environmental Engineer
Ground Water & Drinking Water Branch
U.S. EPA, Region 5 (WG-15J)
77 W. Jackson Blvd.
Chicago, IL 60604
Phone: 312-886-4427
Fax: 312-697-2656