
From: Krisztian, George (DEQ)
Sent: Thursday, October 22, 2015 10:15 AM
To: Sygo, Jim (DEQ); Wurfel, Brad (DEQ); Tommasulo, Karen (DEQ)
Cc: Wyant, Dan (DEQ)
Subject: FW: Flint PbCu data DRAFT DELIBERATIVE. NOT SUBJECT TO FOIA.
Attachments: 2014 Flint PbCu.pdf; 2015 Flint PbCu.pdf; Flint 90th calculation 14-15.xlsx

For your records.

George L. Krisztian
Flint Action Plan Coordinator
Laboratory Director
Michigan Department of Environmental Quality
Desk ph (517) 284-6719
Cell ph PPI

From: Shekter Smith, Liane (DEQ)
Sent: Wednesday, October 14, 2015 3:42 PM
To: Groetsch, Kory J. (DHHS); Dykema, Linda D. (DHHS)
Cc: Rosenthal, Adam (DEQ); Busch, Stephen (DEQ); Prysby, Mike (DEQ); Krisztian, George (DEQ); Devereaux, Tracy Jo (DEQ)
Subject: FW: Flint PbCu data DRAFT DELIBERATIVE. NOT SUBJECT TO FOIA.

Attached are the pdf/scanned forms that were submitted by the city (we do have the individual lab sheets, but didn't think those would be helpful) for the 2 six month rounds of monitoring conducted (July – December 2014 and January – June 2015). Also, Adam has provided the excel spreadsheet that he used to calculate the 90th percentile numbers for both rounds.

Ask if you have questions.

Liane

From: Rosenthal, Adam (DEQ)
Sent: Wednesday, October 14, 2015 3:34 PM
To: Shekter Smith, Liane (DEQ)
Subject: Flint PbCu data

The excel document is sorted low to high for each parameter and are independent of each other, ie. same row doesn't mean from the same site.

Adam Rosenthal, EQA
MDEQ – Office of Drinking Water and Municipal Assistance
Lansing District – Constitution Hall 1SW
PO Box 30242
Lansing, MI 48909
517-284-6644

fax: ~~5172413535~~71

For **MORs**, Lab Results & Reporting Forms:
DEQ-DWMA-Lansing@michigan.gov