

From: [Shekter Smith, Liane \(DEQ\)](#)
To: [Hyde, Tinka](#)
Cc: [Poy, Thomas](#); [Bair, Rita](#); [Damato, Nicholas](#); [Busch, Stephen \(DEQ\)](#); [Cook, Pat \(DEQ\)](#); [Benzie, Richard \(DEQ\)](#)
Subject: RE: AGENDA for Today's Call on Flint
Date: Tuesday, July 21, 2015 10:52:32 AM

Thanks Tinka.

During discussion issue #1, we would like to discuss our (hopefully, mutual) understanding of the timeline for next steps.

Also, while we understand your concerns with the overall implementation of the lead and copper rule(s); we think it is appropriate for EPA to indicate in writing (an e-mail would be sufficient) your concurrence that the city is in compliance with the lead and copper rule as implemented in Michigan. This would help distinguish between our goals to address important public health issues separately from the compliance requirements of the actual rule which we believe have been and continue to be met in the city of Flint.

And finally, we would also like to discuss our concern that the draft report was released by EPA and that we (DEQ) obtained a copy of the report from an outside (ACLU) website.

Liane J. Shekter Smith, P.E., Chief
Office of Drinking Water and Municipal Assistance
Michigan Department of Environmental Quality
517-284-6543

From: Hyde, Tinka [<mailto:hyde.tinka@epa.gov>]
Sent: Tuesday, July 21, 2015 9:07 AM
To: Shekter Smith, Liane (DEQ)
Cc: Poy, Thomas; Bair, Rita; Damato, Nicholas
Subject: AGENDA for Today's Call on Flint

Hi Liane – In preparation for our call today we've prepared an agenda (attached) with some background and discussion points. Please let me know if you have other items you wish to discuss.
Thanks

Tinka G. Hyde
Water Division Director
USEPA W-15J
77 W. Jackson Blvd
Chicago, IL 60604

Office: 312-886-9296
Cell: 312-735-9428

