
From: Wurfel, Brad (DEQ)
Sent: Friday, October 09, 2015 12:11 PM
To: Erb, Robin
Subject: RE: Got dates?

Got request to our program folks with stat response requested.
I can tell you how many bottles were sent to residents for the lead and copper rule testing, how many quarterly samples were taken at the plant tap (the one they use to test finished water), but don't know about system testing and don't want to miss anything here.

b

From: Erb, Robin [<mailto:rerb@freepress.com>]
Sent: Friday, October 09, 2015 12:05 PM
To: Wurfel, Brad (DEQ)
Subject: RE: Got dates?

Yesterday ☺

As soon as you can today. It's for a timeline that we'll add to a package of stories.

From: Wurfel, Brad (DEQ) [<mailto:WurfelB@michigan.gov>]
Sent: Friday, October 09, 2015 12:04 PM
To: Erb, Robin <rerb@freepress.com>
Subject: RE: Got dates?

Thanks for the reminder, Robin. On it. Deadline?

From: Erb, Robin [<mailto:rerb@freepress.com>]
Sent: Friday, October 09, 2015 11:13 AM
To: Wurfel, Brad (DEQ)
Subject: RE: Got dates?

Hey Brad,

Just making sure you saw this. Can you help me out? I know it's probably been a hellish couple of weeks, but for what it's worth – weekend's almost here....

Robin

From: Erb, Robin
Sent: Thursday, October 08, 2015 3:28 PM
To: 'WurfelB@michigan.gov' <WurfelB@michigan.gov>
Subject: Got dates?

Hey Brad,

I know we've talked about all the testing that was done on the Flint water. I'd like to drive home how much testing was done.

Can you give me a time line of the tests? I believe there were the 7 tests done from the source, and then the two supplemental tests that confirmed ppb lower than 15 (6 and 11).

I know, I know. You've probably explained this 422 time to 422 different reporters (I'm guessing). Can we go over one more time so we have it nailed down on a time line? If it's easier, a phone call works too – 313-222-2708.

Robin

Robin Erb


Medical Writer

Desk: 313-222-2708

Metro Desk: 313-222-6601

rerb@freepress.com

Follow me on Twitter: @FreepHealth



www.freep.com