

From: [Shekter Smith, Liane \(DEQ\)](#)
To: [Sygo, Jim \(DEQ\)](#)
Subject: RE: Phosphate Fact Sheet
Date: Thursday, December 10, 2015 5:32:00 PM

No, I hadn't.

I don't disagree in general with his comments. But the stuff that was really objectionable before has been modified.

From: Sygo, Jim (DEQ)
Sent: Thursday, December 10, 2015 5:29 PM
To: Shekter Smith, Liane (DEQ)
Subject: Fwd: Phosphate Fact Sheet

Did you see Brad's comments?

Sent from my iPhone

Begin forwarded message:

From: "Wurfel, Brad (DEQ)" <WurfelB@michigan.gov>
Date: December 10, 2015 at 3:01:18 PM EST
To: "Lasher, Geralyn (DHHS)" <lasherg@michigan.gov>
Cc: "Sygo, Jim (DEQ)" <SygoJ@michigan.gov>, "Krisztian, George (DEQ)" <krisztiang@michigan.gov>
Subject: RE: Phosphate Fact Sheet

The first bullet opens oddly. "Lead pipes, solder and faucets used to be common." All three of those things are still common. Especially faucets.

I'd suggest having Jason Moon's folks at Lara fact check the second bullet.

Fourth bullet, the actions referenced would actually potentially eliminate lead exposure.

Fifth bullet, new pipes and solder are required to meet EPA's lead free standard. Also, faucets should be on that list.

Ninth bullet could be dropped. Focus on the positive and all.

Fourth bullet under "Learn about Phosphate" reads goofy – 'find how much' could also be 'determine appropriate amounts.' Or this bullet could be dropped, as it is stated much more clearly in the final section at the bottom of the page.

Thanks!

b

Brad Wurfel
Communications Director,
Michigan Department of Environmental Quality
wurfelb@michigan.gov
517-230-8006 (cell)

From: Lasher, Geralyn (DHHS)
Sent: Thursday, December 10, 2015 1:57 PM
To: Wurfel, Brad (DEQ); Sygo, Jim (DEQ)
Cc: Dykema, Linda D. (DHHS); Ridley, Nancy (DHHS)
Subject: Phosphate Fact Sheet

Attached is the Phosphate Fact Sheet that MDHHS will be distributing to the Genesee County Health Department (GCHD) at their request. We believe this version incorporates all edits received by DEQ and GCHD.

It is our goal to provide this to the GCHD on Friday so please let us know if there are any last minute questions you may have.

Thank you,
Geralyn

Geralyn Anne Lasher
Senior Deputy Director for External Relations and Communications
Michigan Department of Health and Human Services
201 Townsend Street, Capitol View Building
Lansing Michigan 48913
P: (517) 241-2112
C: (517) 599-5164
LasherG@michigan.gov
@glasher