
From: Devereaux, Tracy Jo (DEQ)
Sent: Monday, September 14, 2015 1:06 PM
To: Dykema, Linda D. (DCH)
Cc: Barr, Jacqui (DCH); Busch, Stephen (DEQ); Benzie, Richard (DEQ)
Subject: RE: Congressman Kildee Response

Not a problem, I will forward you a pdf when all is signed, etc. Thanks!

From: Dykema, Linda D. (DCH)
Sent: Monday, September 14, 2015 12:08 PM
To: Devereaux, Tracy Jo (DEQ)
Cc: Barr, Jacqui (DCH); Busch, Stephen (DEQ); Benzie, Richard (DEQ)
Subject: RE: Congressman Kildee Response

Tracy Jo,

Thanks for the opportunity to review the response. I have nothing to add, but I'd like to request a copy of the final letter. It clearly explains the regulatory situation and I'd like to share it with others in MDHHS.

Linda D. Dykema, Ph.D.

Environmental Public Health Director
 Division of Environmental Health
 Michigan Department of Health & Human Services
 517.335.8566
dykemal@michigan.gov

From: Devereaux, Tracy Jo (DEQ)
Sent: Monday, September 14, 2015 11:20 AM
To: Dykema, Linda D. (DCH)
Cc: Barr, Jacqui (DCH); Busch, Stephen (DEQ); Benzie, Richard (DEQ)
Subject: Congressman Kildee Response
Importance: High

Hi Linda,

Liane is out of town at the moment and the MDEQ has a letter (attached in MS Word) drafted in response to the attached (PDF) letter from Congressman Kildee regarding drinking water in Flint. Liane wanted to give you a chance to glance at the draft if possible, in case MDHHS had anything to add to the response. We will be providing the attached draft to our Exec Division by c.o.b today. Sorry for the short notice – happy Monday!

Thanks,

Tracy Jo

Tracy Jo Devereaux, Management Assistant to

Liane J. Shekter Smith, P.E., Chief
Office of Drinking Water and Municipal Assistance
Michigan Department of Environmental Quality
Constitution Hall, 4th Floor, South Tower, Pillar P8
525 W. Allegan Street
Lansing, Michigan 48933
☎ 517-284-6544
✉ devereauxt@michigan.gov