

From: Banerjee, Anjan <BanerjeeA@mottchc.org>
Sent: Wednesday, December 09, 2015 7:51 AM
To: McShane, Hilda;kboles@valleyaaa.org;Boyer, Jenifier;Jamie Gaskin;Holmes, Virginia (DHHS);showard@co.genesee.mi.us;Sean Kammer;Andy Leavitt;Mose, Sandi Kay (DHHS);neeleyrep34@gmail.com;ioliver@cfgf.org;mpurcell@co.genesee.mi.us;Schoenow, Kris (DHHS);Thelen, Richard (DHHS);Valacak, Mark;Jamie-Lee Venable;Cupal, Suzanne;Henry, James;Hallwood, Dawn;Swartout, April;LaRocco, Toni;Brickey, Tamara;Eisner, Jennifer (DHHS);Wells, Eden (DHHS);Miller, Mark (DHHS);Roach, Billie Jo (MSP);Thompson, Sheryl D. (DHHS);Johnson, M.D., Gary;Sitko, Anthony M;plevine@gcms.org;Kirk Smith;mhanna1@hurleymc.com;Gonzalez, Jonathan (DHHS);Moran, Susan (DHHS);Robinson, Mikelle (DHHS);doerrkay@gmail.com;lrey52@gmail.com;Lcarrav1@yahoo.com;Dayne Walling;Krisztian, George (DEQ);nhenderson@cityofflint.com;edgerton51@michigan.gov;Tommasulo, Karen (DEQ);Stickler, Lisa
Subject: RE: Genesee County Health Department EOC 12/7/15

ALL,

Sorry was out of the office yesterday,

One Correction, Mott Children's didn't distribute 117 filters, we have 117 filters still in stock from the first batch of filters that was distributed at U of M Flint.

Thank you,

Anjan Banerjee

Administrator for Clinical Services
 email: banerjeea@mottchc.org
 Phone: 810-767-5750 ext. 7564

Mott Children's Health Center
 806 Tuuri Place
 Flint, MI 48503
www.mottchc.org

From: McShane, Hilda [mailto:hmcshane@gchd.us]
Sent: Monday, December 07, 2015 5:04 PM
To: kboles@valleyaaa.org; Boyer, Jenifier; Jamie Gaskin; Holmes, Virginia (DHHS); showard@co.genesee.mi.us; Sean Kammer; Andy Leavitt; moses@mi.gov; neeleyrep34@gmail.com; ioliver@cfgf.org; mpurcell@co.genesee.mi.us; schoenowk@michigan.gov; thelenr4@michigan.gov; Valacak, Mark; Jamie-Lee Venable; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; Eisner, Jennifer (DHHS); Wells, Eden (DHHS); millerm1@michigan.gov; roachb@michigan.gov; Thompson, Sheryl D. (DHHS); Johnson, M.D., Gary; Sitko, Anthony M; plevine@gcms.org; Kirk Smith; mhanna1@hurleymc.com; gonzalezj6@michigan.gov; morans@michigan.gov; robinsonm18@michigan.gov; doerrkay@gmail.com; lrey52@gmail.com; Lcarrav1@yahoo.com; Dayne Walling; krisztiang@michigan.gov; nhenderson@cityofflint.com; edgerton51@michigan.gov; tommasulok@michigan.gov; Stickler, Lisa; Banerjee, Anjan
Subject: RE: Genesee County Health Department EOC 12/7/15

- Mott Children's Health Center distributed 117 PUR filters (that you attach to the faucet, [part of the batch that the United Way purchased and was distributed at U of M Flint]).
- Mott Children's Health Center's leadership has put together a lead information packet. The intent of the packet is to distribute to patients. The packet includes information on appropriate filters and resources and how to obtain them. Genesee County Health Department will update Mott Children's Health Center as necessary with new distribution locations.
- As noted by Mott Children's Health Center, most parents of newborns continue to use bottled water to mix with formula.
- Genesee County Health Department continues to distributed water filters at its lead screening clinic in Burton.
- After a complete inventory is taken at all water filter distribution sites of remaining water filter cartridges, The State of Michigan has agreed to purchase additional PUR replacement filters.
- As of December 4, Michigan Department of Health and Human Services has distributed the following:

Water Filters	11,046
Water Pitchers	184
Replacement Cartridges	1,073

From: McShane, Hilda

Sent: Friday, December 4, 2015 5:15 PM

To: 'kboles@valleyaaa.org'; 'Boyer, Jenifer'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelennr4@michigan.gov'; 'Valacak, Mark'; 'Jamie-Lee Venable'; 'Cupal, Suzanne'; 'Henry, James'; 'Hallwood, Dawn'; 'Swartout, April'; 'LaRocco, Toni'; 'Brickey, Tamara'; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; 'Johnson, M.D., Gary'; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; 'Stickler, Lisa'; 'BanerjeeA@mottchc.org'

Subject: RE: Genesee County Health Department EOC 12/4/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department distributed a press release supporting Professor Marc Edwards' announcement to Flint residents to remind them that the water is still unsafe to drink without a faucet filter. Also, attached to the press release was a poster that list water filter distribution locations.

From: McShane, Hilda

Sent: Thursday, December 3, 2015 5:57 PM

To: 'kboles@valleyaaa.org'; 'Boyer, Jenifer'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org';

'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'

Subject: RE: Genesee County Health Department EOC 12/3/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Michigan Department of Health and Human Services and Genesee County Community Action Resource Department have distributed the following in November: water filters 778, Zero Water Pitchers 63, and replacement filters 924. Total filter distribution as of October 1 is 10,951.
- The MDEQ and the City are coordinating the distribution and analysis of containers (bottles) for water testing. Bottles are available at City Hall and the water plant. Genesee County Health Department does not have bottles for distribution. Customers' name, phone, and address are required to be documented on a form when the water sample is submitted for analysis, not when the bottle is picked up. Analysis is conducted in Lansing at the MDEQ lab.

From: McShane, Hilda

Sent: Wednesday, December 2, 2015 4:24 PM

To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'

Subject: RE: Genesee County Health Department EOC 12/2/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department (GCHD) will distribute an additional 100 water filters to the City of Flint for distribution at City of Hall.
- Besides all the water filter distribution occurring at the blood lead screening clinics and offsite exhibits by Genesee County Health Department's staff, the Health Department continues to distribute water filters at its Burton WIC clinic and continues to educate parents on lead in water issues. Distribution at the WIC clinic has been swift and additional inventory, another 100 water filters, will be added to the WIC distribution inventory.

- Genesee County Health Department will distribute a press release that supports Professor Marc Edwards, of Virginia Tech University's announcement that Flint residents do indeed need to continue to use water filters.
- After a through inventory of water filters, Michigan Department of Health and Human Services (MDHHS) will purchase more Pur replacement filters. As suggested by MDHHS staff, GCHD will inventory its supply of replacement filters and give inventory outcome to MDHHS.
- Genesee County Health Department will host blood lead screening clinics at Grace Emmanuel and Bethel United Methodist churches.

From: McShane, Hilda

Sent: Tuesday, December 1, 2015 5:06 PM

To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'

Subject: RE: Genesee County Health Department EOC 12/1/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

City of Flint water filter and filter distribution has increased at City Hall. The Genesee County Health Department will give City of Flint both water filters and filters to keep up with the increased distribution traffic.

Genesee County Health Department's Nursing Director, Toni LaRocco, continues to develop partnerships with area churches to host blood lead screening clinics.

Genesee County Health Department is working with City of Flint Schools; Eisenhower and Freeman to develop blood lead screening clinics.

From: McShane, Hilda

Sent: Monday, November 30, 2015 4:47 PM

To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'

Subject: RE: Genesee County Health Department EOC 11/30/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates

DAILY to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department's Nursing Director, Toni LaRocco is working with City of Flint Schools to develop additional lead clinics.
- The City of Flint (Sean Kammer) picked up 100 ZeroWater 8-Cup filter pitchers, on Wednesday, November 25, 2015, from Flint Community Schools for distribution.

From: McShane, Hilda

Sent: Friday, November 20, 2015 5:07 PM

To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'

Subject: RE: Genesee County Health Department EOC 11/20/15

- Parent packets developed by the State and local organizations are almost exhausted. Genesee County Health Department is working with the State on the next version of this parent packet.
- GCHD met with Michigan Department Health and Human Services today to review and revise current lead education material..
- Mark has developed a laudatory resolution to thank the University of Michigan for their assistance with the water filter distribution on Saturday, October 3, 2015. The resolution will be presented to the Genesee County Board of Commissioners.
- Genesee County Health Department's Health Officer, Mark Valacak will meet with United Way's CEO, Jamie Gaskin to discuss grant support for community lead education.
- Water filters distributed as of 11/20/15: 14,473.
- GCHD will share nutrition and lead education with organizations currently doing nutrition education in the community. GCHD will also share locations where individuals can access water filters.

From: McShane, Hilda

Sent: Wednesday, November 18, 2015 4:44 PM

To: kboles@valleyaaa.org; Boyer, Jenifier; Jamie Gaskin; Holmes, Virginia (DHHS); showard@co.genesee.mi.us; Sean Kammer; Andy Leavitt; moses@mi.gov; neeleyrep34@gmail.com; ioliver@cfgf.org; mpurcell@co.genesee.mi.us; schoenowk@michigan.gov; thelenr4@michigan.gov; Valacak, Mark; Jamie-Lee Venable; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; Eisner, Jennifer (DHHS); Wells, Eden (DHHS); millerm1@michigan.gov; roachb@michigan.gov; Thompson, Sheryl D. (DHHS); Johnson, M.D., Gary; Sitko, Anthony M; plevine@gcms.org; Kirk Smith; mhanna1@hurleymc.com; gonzalezj6@michigan.gov; morans@michigan.gov; robinsonm18@michigan.gov; doerrkay@gmail.com; lrey52@gmail.com; Lcarrav1@yahoo.com; Dayne Walling; krisztiang@michigan.gov; nhenderson@cityofflint.com; edgerton51@michigan.gov; tommasulok@michigan.gov; Stickler, Lisa; 'BanerjeeA@mottchc.org'

Subject: RE: Genesee County Health Department EOC 11/18/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates

DAILY to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department, Public Health Nurse, Janet Wenstrom will distribute the current parent packet that contains lead information to Flint area parochial schools.
- Attached is a recent report on water filter distribution and location of distribution.

From: McShane, Hilda

Sent: Tuesday, November 17, 2015 5:12 PM

To: Howard Croft; kboles@valleyaaa.org; Boyer, Jenifier; Jamie Gaskin; Holmes, Virginia (DHHS); showard@co.genesee.mi.us; Sean Kammer; Andy Leavitt; moses@mi.gov; neeleyrep34@gmail.com; ioliver@cfgf.org; mpurcell@co.genesee.mi.us; schoenowk@michigan.gov; thelenr4@michigan.gov; Valacak, Mark; Jamie-Lee Venable; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; Eisner, Jennifer (DHHS); Wells, Eden (DHHS); millerm1@michigan.gov; roachb@michigan.gov; Thompson, Sheryl D. (DHHS); Johnson, M.D., Gary; Sitko, Anthony M; plevine@gcms.org; Kirk Smith; mhanna1@hurleymc.com; gonzalezj6@michigan.gov; morans@michigan.gov; robinsonm18@michigan.gov; doerrkay@gmail.com; lrey52@gmail.com; Lcarrav1@yahoo.com; Dayne Walling; krisztiang@michigan.gov; nhenderson@cityofflint.com; edgerton51@michigan.gov; tommasulok@michigan.gov; Stickler, Lisa; Banerjee@mottchc.org

Subject: Re: Genesee County Health Department EOC 11/17/15

Genesee County Health Department is working with the CDC to develop phosphate educational materials.

United Way (UW) CEO, Jamie Gaskin and Genesee County Health Department Health Officer, Mark Valacak have been discussing the strategic use of Americore volunteers during this water crisis. Suggested volunteer work includes: distribution of filters, lead education, and assist at health fairs and at church exhibits. Volunteers may be available in February of 2016.

UW Jamie Gaskin reported that UW will giveaway 110 Thanksgiving baskets. The baskets will contain a water filter system.

For those who need 8oz - Zero cup water filters, please contact Tony Sitko at Flint Community Schools. His email address is: tsitko@flintschools.org.

Genesee County Health Department will give City of Flint 50 PUR water filters for distribution at City Hall.

Water filter distribution is well over 13,596.

BJ Roach from the State Police had nothing to report at this time.

Sent from Surface

From: Hilda McShane

Sent: Monday, November 16, 2015 4:34 PM

To: Howard Croft, kboles@valleyaaa.org, Boyer, Jenifier, Jamie Gaskin, Holmes, Virginia (DHHS), showard@co.genesee.mi.us, Sean Kammer, Andy Leavitt, moses@mi.gov, neeleyrep34@gmail.com, ioliver@cfgf.org, mpurcell@co.genesee.mi.us, schoenowk@michigan.gov, thelenr4@michigan.gov, Valacak, Mark, Jamie-Lee Venable, Cupal, Suzanne, Henry, James, Hallwood, Dawn, Swartout, April, LaRocco, Toni, Tamara Brickey, Eisner, Jennifer (DHHS), Wells, Eden (DHHS), millerm1@michigan.gov,

roachb@michigan.gov, Thompson, Sheryl D. (DHHS), Johnson, M.D., Gary, Sitko, Anthony M, plevine@gcms.org, Kirk Smith, mhanna1@hurleymc.com, gonzalezj6@michigan.gov, morans@michigan.gov, robinsonm18@michigan.gov, doerrkay@gmail.com, lrey52@gmail.com, Lcarrav1@yahoo.com, Dayne Walling, krisztiang@michigan.gov, nhenderson@cityofflint.com, edgerton51@michigan.gov, tommasulok@michigan.gov, Wells, Eden (DHHS), Istickler@gchd.us

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Toni LaRocco, Nurse Supervisor at Genesee County Health Department's Burton clinic had no lead clinic updates.
- There has been a noticeable amount of walkup lead testing at Genesee County Health Department's Burton Clinic.
- As of November 16, 2015 a total of 13,569 water filters have been distributed.
- Parent packets that contain lead education and other lead related education information will be distributed at the BE WISE IMMUNIZE event at the Flint Farmer's Market on Saturday, November 21 event from 9 am to 1 pm.

From: McShane, Hilda

Sent: Friday, November 13, 2015 4:46 PM

To: 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; 'WellsE3@michigan.gov'; 'Istickler@gchd.us'

Subject: RE: Genesee County Health Department EOC 11/13/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department will send staff to Flint Community Schools' city wide parent meeting at Brownell STEM Academy. Genesee County Health Department representatives will present lead education. The presentation will take place on Wednesday, November 18 at 9:30 am.

- Brownell STEM Academy lead screening was hosted by Flint Community Schools with assistance from McLaren Health Plan and Genesee County Health Department. Twenty seven kids were tested. Test results will be mailed to parents in two weeks.
- During the 3:00 to 6:00 pm clinic, a combination of Pur and Brita water filters and replacement filters were distributed. A total of 60 filters and replacement filters were distributed.
- Genesee County Health Department, Genesee Health Plan, Crim Fitness Foundation, University of Michigan Flint Nursing Program, The MDHHS environmental consultants' ETC, and 211 exhibited at Brownell's lead screening clinic where they educated participants on lead preventative and nutrition.
- Home Depot was at Brownell's clinic answering water filter installation questions.

From: McShane, Hilda

Sent: Monday, November 9, 2015 3:45 PM

To: 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; 'WellsE3@michigan.gov'; 'lstickler@gchd.us'

Subject: RE: Genesee County Health Department EOC 11/9/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- GCCARD distributed a combination of water filters and replacement filters totaling 154.
- DHHS distributed a combination of water filters and replacement filters totaling 59.
- To date approximately 14,000 water filters have been distributed.
- Tamara Brickey (Genesee County Health Department) is working with Grand Blanc Schools for the purpose of distributing water filter replacement cartridges.
- Tamara continues to contact various organizations to get them replacement filters so that they in turn can distribute replacement filters to their clients.

From: McShane, Hilda

Sent: Friday, November 6, 2015 4:46 PM

To: Brickey, Tamara; McShane, Hilda; 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; 'WellsE3@michigan.gov'

Subject: Genesee County Health Department EOC 11/5/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department's (GCHD) Women, Infant and Children (WIC) program has distributed 300 water filters.
- Sixty water filters and replacement cartridges were distributed at yesterday's lead screening clinic.
- There was an additional three lead clinic participants at Genesee County Health Department's lead screening clinic hosted by Genesee County Health Department and McLaren Health Plan on Thursday, November 5 in Burton, Michigan. The final total for this lead screening clinic is 42 participants.
- There was a correction made to abc12's segment covering the lead screening program that was corrected on GCHD's social media platforms. Abc12 will make the correction at their end as well.