
From: Wells, Eden (DHHS)
Sent: Thursday, December 03, 2015 9:32 PM
To: Clifford Wells
Subject: Fwd: Summary Data
Attachments: Flint EBL Data Press Release FINAL.PDF; ATT00001.htm; Flint Blood Lead Level Summary Report December.pdf; ATT00002.htm

The press release and summary data

Sent from my iPhone

Begin forwarded message:

From: "Lasher, GERALYN (DHHS)" <laserG@michigan.gov>
Date: December 3, 2015 at 2:00:14 PM EST
To: "Valacak, Mark" <MVALACAK@gchd.us>, "Brickey, Tamara" <tbrickey@gchd.us>, "LaRocco, Toni" <tlarocco@gchd.us>, "McShane, Hilda" <hmcshane@gchd.us>, "Johnson, M.D., Gary" <GJOHNSON@gchd.us>
Cc: "Miller, Mark (DHHS)" <millerm1@michigan.gov>, "Moran, Susan (DHHS)" <MoranS@michigan.gov>, "Robinson, Mikelle (DHHS)" <RobinsonM18@michigan.gov>, "Thompson, Sheryl D. (DHHS)" <ThompsonS2@michigan.gov>, "Wells, Eden (DHHS)" <WellsE3@michigan.gov>
Subject: Summary Data

This afternoon at 2:30 p.m., the Michigan Department of Health and Human Services will issue the attached press release and summary report detailing the latest data on blood lead levels in Flint.

We wanted to ensure that the Genesee County Health Department received this information in advance of the press release being issued.

The summary report provides annual historical information on children younger than six years, children between the ages of six and seventeen years and adults tested for lead. It also provides detail on the number of test results for these category groups that have tested above five micrograms per deciliter. The summary report also provides information on the numbers tested and with elevated blood lead levels since the MDHHS Action Plan began in October.

The preliminary data indicates that 30 of 1,361 adults and children tested in Flint since October 1 had elevated blood lead levels.

Thank you,
 GERALYN

GERALYN ANNE LASHER
 Senior Deputy Director for External Relations and Communications
 Michigan Department of Health and Human Services
 201 Townsend Street, Capitol View Building
 Lansing Michigan 48913
 P: (517) 241-2112
 C: PPI
 laserG@michigan.gov
 @glasheer

