
From: Miller, Corinne (DHHS)
Sent: Tuesday, December 15, 2015 10:26 AM
To: Dykema, Linda D. (DHHS); Moran, Susan (DHHS)
Subject: RE: Aerator Fact Sheet

Looks great!

From: Dykema, Linda D. (DHHS)
Sent: Tuesday, December 15, 2015 9:15 AM
To: Moran, Susan (DHHS) <MoranS@michigan.gov>; Miller, Corinne (DHHS) <MillerC39@michigan.gov>
Subject: FW: Aerator Fact Sheet

For your review. Publication form is making its way upstairs as well. The reading level is grade 4.5, which may read awkwardly for us but works for the intended audience. The pictures were taken by one of Kory's staff (Chris Bush) to match Michelle's instructions.

From: Bruneau, Michelle (DHHS)
Sent: Tuesday, December 15, 2015 9:03 AM
To: Dykema, Linda D. (DHHS) <DykemaL@michigan.gov>
Cc: Groetsch, Kory J. (DHHS) <GroetschK@michigan.gov>
Subject: Aerator Fact Sheet

Hi Linda:

Attached is the aerator cleaning fact sheet that was requested by Jim Henry and Genesee County Health Department. It's been reviewed and approved by Kory Groetsch, Jen Gray, Courtney Wisinski, and Hilda McShane at GCHD.

I've filled out the mandatory publication form, and put it in Kory's mailbox to go up the signatory chain per Angela Minicuci's instructions. However, I wanted to also pass it along to you to forward up the IC chain for review simultaneously, should you so choose.

On 12/14, Jason Holben confirmed that the publication forms for the Phosphate fact sheet and Bath Time poster were on Angela's desk awaiting approval.

- Michelle

><{{{'> www.michigan.gov/eatsafefish <'}}}><

Michelle Bruneau, MA
 Project Manager & Health Educator
 Michigan Department of Health & Human Services
 201 Townsend, 4th Fl
 Lansing, MI 48913
 Direct: (517) 335-8984

Toll free: 1-800-648-6942

Fax: (517) 335-8800

bruneaum@michigan.gov