

Message

From: Miller, Corinne (DHHS) [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2A1EB71CC5E443B3BB368D7F77BC5F5B-MILLER CORINNE]
Sent: 12/11/2015 5:04:32 PM
To: McKane, Patricia (DHHS) [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=89bdaa1f3be34a5e983cfc72ae4c77a0-McKane Patricia]
Subject: RE: Water supply in west michigan, blood levels

Yes, CLPPP and EBL staff plan to reach out.

From: McKane, Patricia (DHHS)
Sent: Friday, December 11, 2015 12:04 PM
To: Miller, Corinne (DHHS) <MillerC39@michigan.gov>
Subject: Re: Water supply in west michigan, blood levels

Oh no. Is there anyway that Mona could explain to them why they should have the investigation? She has credibility that we don't?

Sent from my iPhone

On Dec 11, 2015, at 11:58 AM, Miller, Corinne (DHHS) <MillerC39@michigan.gov> wrote:

Some of the families in Flint are refusing EBL services because the water source has been switched back to Detroit and they believe there is no need to do a home investigation.

From: McKane, Patricia (DHHS)
Sent: Friday, December 11, 2015 11:39 AM
To: Miller, Corinne (DHHS) <MillerC39@michigan.gov>
Subject: RE: Water supply in west michigan, blood levels

Very interesting and what we have been saying.

From: Miller, Corinne (DHHS)
Sent: Friday, December 11, 2015 10:21 AM
To: McKane, Patricia (DHHS) <McKaneP@michigan.gov>; LyonCallo, Sarah (DHHS) <lyoncallos@michigan.gov>
Subject: FW: Water supply in west michigan, blood levels

If you haven't seen the Bridge article based on Zip codes statewide the link to the article is in the text below.

The older annual reports on the MDHHS web site don't suppress info, of course.

From: Sarkipato, Ernest (DEQ)

Sent: Friday, December 11, 2015 7:44 AM

To: Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Spanjer, Kendra (DHHS) <SpanjerK@michigan.gov>

Subject: Water supply in west michigan, blood levels

I work with the Muskegon area water supplies and recently became aware of this website, designed to display blood lead level data from MDHHS for 2012 and 2013. The concern is that the water supplies (around the state) may be singled out as the sole source of lead in children (in the light of media coverage of Flint's water supply issues).

I know that the City of Muskegon has already received contacts about this website, and I wonder if either of you would be willing to speak with someone at the City in terms of knowing how to best respond?

http://bridgemi.com/2015/12/interactive-map-places-with-higher-lead-rates-than-flint/#.VmmnQ7Huf_A.mailto

Ernie Sarkipato, P.E.

Environmental Engineer

Grand Rapids District Office

MDEQ - Office of Drinking Water and Municipal Assistance



616-356-0202 (GR fax)

1-800-292-4706 (Emergency)