

Message

From: Thompson, Sheryl D. (DHHS) [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=38E590EDB7F841C5BE6CC5957FD5DFE8-THOMPSON SHERYL D.]

Sent: 11/3/2015 8:28:12 PM

To: Schoenow, Kris (DHHS) [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=3c1ef4d5aca946219ffbed6b377e74b6-Schoenow Kris]

CC: Boyer, Jenifier [JBoyer@co.genesee.mi.us]; Stickler, Lisa [stickler@gchd.us]; Brickey, Tamara [tbrickey@gchd.us]; McShane, Hilda [hmcshane@gchd.us]; hcroft@cityofflint.com; kboles@valleyaaa.org; Jamie Gaskin [jgaskin@unitedwaygenesees.org]; Holmes, Virginia (DHHS) [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=0a2399971afd475f81c6964b45228b34-Holmes Virginia]; Howard, Stephanie [SHoward@co.genesee.mi.us]; skammer@cityofflint.com; Andy Leavitt [aleavitt@senatedems.org]; Mose, Sandi Kay (DHHS) [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=4e9798cf891749f4a98cf7ad655701e7-Mose Sandi Kay]; neeleyrep34@gmail.com; ioliver@cfgf.org; Purcell, Matthew [MPurcell@co.genesee.mi.us]; Thelen, Richard (DHHS) [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=0e58cd7a04ff40819b4d408218f6e955-Thelen Richard]; Mark Valacak [mvalacak@gchd.us]; Jamie-Lee Venable [jvenable@unitedwaygenesees.org]; Cupal, Suzanne [SCupal@gchd.us]; Henry, James [jhenry@gchd.us]; Hallwood, Dawn [dhallwood@gchd.us]; Swartout, April [ASwartout@gchd.us]; LaRocco, Toni [tlarocco@gchd.us]; Eisner, Jennifer (DHHS) [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=e58a0110d9914d1395311d742e28b4c9-Smith Jenni]; Wells, Eden (DHHS) [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=f3a10e41478e4a4e9e9595df85dccf97-Wells Eden]; Miller, Mark (DHHS) [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=1a5bad5ac8ef4c53a24e5c4cb91853ff-Miller Mark_809e010b9b]; Roach, Billie Jo (MSP) [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=2bed21464a6f4647a71026a4da44b6e0-Roach Billie Jo_a6ebe078d5]; Johnson, M.D., Gary [GJOHNSON@gchd.us]; tsitko@flintschools.org; plevine@gcms.org; ksmith@flint.org; mhanna1@hurleymc.com; Gonzalez, Jonathan (DHHS) [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=e86c56c1b6184f22b518a98a42446cfd-Gonzalez Jonathan]; Moran, Susan (DHHS) [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=187c9ca7fca94c14a6f60427230837a4-Moran Susan]; Robinson, Mikelle (DHHS) [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=423a27ab9e1b4759a388ca40c97aded2-Robinson Mikelle D]; doerrkay@gmail.com; lrey52@gmail.com; Lcarrav1@yahoo.com

Subject: Re: meeting call in information

No Matr indicated he would play it by ear based on customer traffic.

Sheryl Thompson
 Deputy Director of Field Operations
 Dept of Health & Human Services
 235 S. Grand Ave, Ste 1413
 Lansing, MI 48909
 517-241-5954

On Nov 3, 2015, at 12:37 PM, Schoenow, Kris (DHHS) <SchoenowK@michigan.gov> wrote:

Hi Jen,

So far I have not heard about a Saturday distribution. If anyone has additional information, please share it with us.

Thanks,
Kris

Kris Schoenow
Executive Director
Bureau of Community Action and Economic Opportunity
Michigan Department of Health and Human Services
235 Grand Avenue
Suite 202
PO Box 30037
Lansing, MI 48909

517-241-4871
517-373-8896
schoenowk@michigan.gov

From: Boyer, Jenifier [<mailto:JBoyer@co.genesees.mi.us>]

Sent: Tuesday, November 3, 2015 8:23 AM

To: Stickler, Lisa <stickler@gchd.us>; Brickey, Tamara <tbrickey@gchd.us>; McShane, Hilda <hmcshane@gchd.us>; hcroft@cityofflint.com; kboles@valleyaaa.org; Jamie Gaskin <jgaskin@unitedwaygenesees.org>; Holmes, Virginia (DHHS) <HolmesV@michigan.gov>; Howard, Stephanie <SHoward@co.genesees.mi.us>; skammer@cityofflint.com; Andy Leavitt <aLeavitt@senatedems.org>; Mose, Sandi Kay (DHHS) <MoseS@michigan.gov>; neeleyrep34@gmail.com; ioliver@cfgf.org; Purcell, Matthew <MPurcell@co.genesees.mi.us>; Schoenow, Kris (DHHS) <SchoenowK@michigan.gov>; Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Mark Valacak <mvalacak@gchd.us>; Jamie-Lee Venable <jvenable@unitedwaygenesees.org>; Cupal, Suzanne <SCupal@gchd.us>; Henry, James <jhenry@gchd.us>; Hallwood, Dawn <dhallwood@gchd.us>; Swartout, April <ASwartout@gchd.us>; LaRocco, Toni <tlarocco@gchd.us>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Wells, Eden (DHHS) <WellsE3@michigan.gov>; Miller, Mark (DHHS) <millerm1@michigan.gov>; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; Thompson, Sheryl D. (DHHS) <ThompsonS2@michigan.gov>; Johnson, M.D., Gary <GJOHNSON@gchd.us>; tsitko@flintschools.org; plevine@gcms.org; ksmith@flint.org; mhanna1@hurleymc.com; Gonzalez, Jonathan (DHHS) <GonzalezJ6@michigan.gov>; Moran, Susan (DHHS) <MoranS@michigan.gov>; Robinson, Mikelle (DHHS) <RobinsonM18@michigan.gov>; doerrkay@gmail.com; lrey52@gmail.com; Lcarrav1@yahoo.com

Subject: RE: meeting call in information

I will be participating in an exercise this morning with one of our local schools, so I will be unable to attend. Please send out a follow up report to this mornings meeting.

At this time, I have no volunteers coming forward to volunteer during the current established dates and times of distribution.

A group from Kettering would like to do something on Saturday, please let me know if there is a need that needs to be met!

Thank you,

Jenifler Boyer, PEM

Emergency Management Manager

Office of Genesee County Sheriff

<https://www.facebook.com/GCEMHS>

www.areyoureadysetsafe.com

DISCLAIMER: The information in this message is confidential and may be legally privileged. It is intended for the addressee. Access to this message by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, or distribution of the message, or any action or omission taken by you in reliance on it, is prohibited and may be unlawful. Please immediately contact the sender if you have received this message in error. Thank you

From: Stickler, Lisa [<mailto:STICKLER@gchd.us>]

Sent: Tuesday, November 03, 2015 8:09 AM

To: Brickey, Tamara; McShane, Hilda; hcroft@cityofflint.com; kboles@valleyaaa.org; Boyer, Jenifler; Jamie Gaskin; Holmes, Virginia (DHHS); Howard, Stephanie; skammer@cityofflint.com; Andy Leavitt; moses@mi.gov; neeleyrep34@gmail.com; ioliver@cfgf.org; Purcell, Matthew; schoenowk@michigan.gov; thelenr4@michigan.gov; Mark Valacak; Jamie-Lee Venable; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; EisnerJ@michigan.gov; WellsE3@michigan.gov; millerm1@michigan.gov; roachb@michigan.gov; ThompsonS2@michigan.gov; Johnson, M.D., Gary; tsitko@flintschools.org; plevine@gcms.org; ksmith@flint.org; mhanna1@hurleymc.com; gonzalezj6@michigan.gov; morans@michigan.gov; robinsonm18@michigan.gov; doerrkay@gmail.com; lrey52@gmail.com; Lcarrav1@yahoo.com

Subject: meeting call in information

- Please join my meeting from your computer, tablet or smartphone.

<https://global.gotomeeting.com/join/991328077>

- You can also dial in using your phone.

United States

PPI

Access Code

PPI

Hilda McShane

Marketing Specialist

Genesee County Health Department

Phone: 810.341.7661

FAX: 810.257.3147

hmcshane@gchd.us

From: Brickey, Tamara

Sent: Friday, October 30, 2015 5:12 PM

To: Stickler, Lisa; McShane, Hilda; 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'Kay Doerr (doerrkay@gmail.com)'; 'lrey52@gmail.com'; 'Laura Ann Carravallah MD (Lcarrav1@yahoo.com)'

Subject: RE: Genesee County Health Department water filter system daily mass notification - 10.30.15

On behalf of Hilda McShane/Mark Valacak the updates for today are:

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- <!--[if !supportLists]--><!--[endif]-->MDHHS and Genesee County Health Department disseminated a media release on Guidance for Parents and Providers today, Friday, October 30. See Attached.
- <!--[if !supportLists]--><!--[endif]-->GCCARD will be receiving delivery of replacement water filter cartridges tomorrow, Saturday, October 31. GCCARD will store all replacement filters given out by the two County agencies, GCCARD and Genesee County Health Department.
- <!--[if !supportLists]--><!--[endif]-->GCCARD will begin distributing filters to the public as of Monday, November 2, 2015.
- <!--[if !supportLists]--><!--[endif]-->Genesee County Health Department with partners GCCARD, DHHS, and the City of Flint will disseminate a media release about the replacement water filter cartridge distribution on Monday, November 2.

That concludes updates for today.

Tamara Brickey, MS, CHES

Public Health Division Director
Genesee County Health Department
630 S. Saginaw Street
Suite 4
Flint, MI 48502
(810) 257-3202 Fax: (810) 257-3147
tbrickey@gchd.us

*NOTICE: This e-mail, including attachments, is intended for the exclusive use of the addressee and may contain proprietary, confidential or privileged information. If you are not the intended recipient, any disclosure, use, distribution, copying, or taking of any action in reliance of the contents of this e-mail is strictly prohibited. If you have received this e-mail in error, please notify me via e-mail and permanently delete the original and destroy all copies. Thank you.

For a copy of the Health Department's Notice of Information Practices, contact the Health Department or visit the Health Department's website at <http://www.gchd.us/>

From: Stickler, Lisa

Sent: Thursday, October 29, 2015 4:01 PM

To: McShane, Hilda; 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; Brickey, Tamara; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfqf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'Kay Doerr (doerrkay@gmail.com)'; 'lrey52@gmail.com'; 'Laura Ann Carravallah MD (Lcarrav1@yahoo.com)'

Subject: Genesee County Health Department water filter system daily mass notification - 10.29.15

On behalf of Hilda McShane/Mark Valacak the updates for today are:

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane and Lisa Stickler by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- <!--[if !supportLists]--><!--[endif]-->**DHHS/GCCARD filter distribution:**
112 filters
(7) 8- cup pitchers
(1) 23-cup daycare pitchers
Total 120
- <!--[if !supportLists]--><!--[endif]-->**Lead & Your Body and Lead in Water FAQ sheets (see attached pdfs.)**

From: Stickler, Lisa

Sent: Wednesday, October 28, 2015 3:56 PM

To: McShane, Hilda; 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; Brickey, Tamara; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfqf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org';

'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; Kay Doerr (doerrkay@gmail.com); 'lrey52@gmail.com'; Laura Ann Carravallah MD (Lcarrav1@yahoo.com)

Subject: Genesee County Health Department water filter system daily mass notification - 10.28.15

On behalf of Hilda McShane/Mark Valacak the only update for today is:

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane and Lisa Stickler by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- <!--[if !supportLists]--><!--[endif]-->Representative Sheldon Neeley to have a Town Hall Informational meeting Nov. 2 at the Bethel United Methodist Church at 6pm.
- <!--[if !supportLists]--><!--[endif]-->Conference call to be held Oct. 29 with the Flint Schools to discuss the school lead education event at Brownell/Holmes on Nov. 12.

From: Stickler, Lisa

Sent: Monday, October 26, 2015 4:00 PM

To: McShane, Hilda; 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; Brickey, Tamara; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'lrey52@gmail.com'

Subject: RE: Genesee County Health Department water filter system daily mass notification - 10.26.15

On behalf of Hilda McShane/Mark Valacak the only update for today is:

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- <!--[if !supportLists]--><!--[endif]-->20 water filters delivered to Grand Blanc schools
- <!--[if !supportLists]--><!--[endif]-->Lead testing clinic to be held at Burton Health Center from 8am-5pm on Nov. 5
- <!--[if !supportLists]--><!--[endif]-->Education and Lead testing clinic to be held Nov. 12 at Brownell/Holmes Schools from 2-7pm for ages 0-5.
- <!--[if !supportLists]--><!--[endif]-->GCHD sanitarians to assist DEQ in water testing in the Flint Schools

From: Stickler, Lisa

Sent: Friday, October 23, 2015 4:37 PM

To: McShane, Hilda; 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; Brickey, Tamara; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; Stickler, Lisa; LaRocco, Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov';

'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'lrey52@gmail.com'

Subject: Genesee County Health Department water filter system daily mass notification - 10.23.15

On behalf of Hilda McShane/Mark Valacak the only update for today is:

A meeting will be held at the Department of Education Administration Building in Flint at 10:30am on Monday, Oct. 26 to discuss community education through the schools and future community testing.

From: McShane, Hilda

Sent: Tuesday, October 20, 2015 5:08 PM

To: hcroft@cityofflint.com; kboles@valleyaaa.org; jboyer@co.genesee.mi.us; Brickey, Tamara; Jamie Gaskin; Holmes, Virginia (DHHS); showard@co.genesee.mi.us; skammer@cityofflint.com; Andy Leavitt; moses@mi.gov; neeleyrep34@gmail.com; ioliver@cfgf.org; mpurcell@co.genesee.mi.us; schoenowk@michigan.gov; thelenr4@michigan.gov; Valacak, Mark; Jamie-Lee Venable; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; lstickler@gchd.us; LaRocco, Toni; EisnerJ@michigan.gov; WellsE3@michigan.gov; millerm1@michigan.gov; roachb@michigan.gov; ThompsonS2@michigan.gov; Johnson, M.D., Gary; tsitko@flintschools.org; plevine@gcms.org; ksmith@flint.org; mhanna1@hurleymc.com; gonzalezj6@michigan.gov; morans@michigan.gov; robinsonm18@michigan.gov; lrey52@gmail.com

Subject: Genesee County Health Department water filter system daily mass notification - 10.20.15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- <!--[if !supportLists]--><!--[endif]-->Genesee County Health Department Community Health Director, Tamara Brickey, connected Chris Mann (GCHD IT consultant) with Ed Berger from MTA to reference the water filter database for an upcoming water filter distribution to disabled clients.
- <!--[if !supportLists]--><!--[endif]-->Tamara Brickey, spoke with Vicki Austin Sacharski from the Disability Network for the purpose of connecting Disability Network clients with water filters. DN will track information of those clients who call in with questions about filters and get the information to GCHD. We will pass that information along to MTA for delivery. GCCARD may be able to assist with installation.
- <!--[if !supportLists]--><!--[endif]-->
 Tamara is reaching out to a regional representative from DaVita Dialysis to help coordinate the distribution of water filters.
- <!--[if !supportLists]--><!--[endif]-->Department of Health and Human Services has distributed the following:
 - 113 filters (of which 1 went to daycares)
 - 10 – 8 cup pitcher
 - 1 – 23 cup pitcher- to daycare
 - Total distributed 124
- <!--[if !supportLists]--><!--[endif]-->Flint Community Schools Superintendent, Bilal Tawab met on Friday, October 16, 2015 with representatives of MDEQ, LARA, and DHHS to discuss a new round of water testing at each of the Flint Community Schools starting on Wednesday, October 21, 2015.

From: McShane, Hilda

Sent: Monday, October 19, 2015 4:30 PM

To: 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; Brickey, Tamara; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; 'istickler@gchd.us'; LaRocco, Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'lrey52@gmail.com'

Subject: RE: Genesee County Health Department water filter system daily mass notification - 10.19.15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- <!--[if !supportLists]--><!--[endif]-->100 water filters were delivered to Burton location of Planned Parenthood for distribution by GCHD.
- <!--[if !supportLists]--><!--[endif]-->Tamara Brickey (GCHD Community Health Director) and Hilda McShane (GCHD Marketing Specialist), met with MTA about reaching disabled and dialysis patients. MTA will work with GCHD to determine which MTA Your Ride clients may be in need of water filters.
- <!--[if !supportLists]--><!--[endif]-->Another dialysis provider in Flint has requested 30 filters for patients.
- <!--[if !supportLists]--><!--[endif]-->Toni (Nursing Director, GCHD), Jori July (GCHD Immunizations Supervisor) and Hilda McShane met this AM with Molina. Further arrangements with Molina will be made. No date set at this time.
- <!--[if !supportLists]--><!--[endif]--> GCHD is still awaiting communication from Total Health Care.
- <!--[if !supportLists]--><!--[endif]-->Department of Education has come out with a statement that all school age kids in Flint should be lead tested. Our state colleagues along with Toni will work on getting education out to the schools/families regarding getting kids tested.
- <!--[if !supportLists]--><!--[endif]-->Diplomat has a program that they do with physicians about vitamins for kids. Dr. Mona Hanna-Attisha (Hurley) is talking to them about changing the formulary of the vitamin to help with lead issues in kids.
- <!--[if !supportLists]--><!--[endif]-->Jim Henry (GCHD Environmental Health Supervisor) met with DEQ representatives on Friday. DEQ is proposing starting a new round of water testing in all schools receiving Flint water as of Wednesday, October 21, 2015. DEQ is proposing a stakeholder meeting every Friday to discuss updates.

From: McShane, Hilda

Sent: Friday, October 16, 2015 4:36 PM

To: 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; Brickey, Tamara; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; 'lstickler@gchd.us'; LaRocco, Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'lrey52@gmail.com'

Subject: Genesee County Health Department water filter system daily mass notification - 10.16.15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- <!--[if !supportLists]--><!--[endif]-->The attached document was provided, emailed, and mailed to 346 licensed food establishments using City of Flint Water by the Genesee County Health Department (GCHD). The Michigan Department of Agriculture and Rural Development (MDARD) emailed and mailed the attached document to: grocery, food processing establishments, and party stores using City of Flint water. This document is available at www.gchd.us.
- <!--[if !supportLists]--><!--[endif]-->Michigan Department of Health and Human Services (MDHHS) and Genesee County Community Action Resource Department (GCCARC) distributed 247 water filter systems and 11 water pitchers on 10.15.15.
- <!--[if !supportLists]--><!--[endif]-->The Michigan Childhood Lead Poisoning Prevention Program (CLPPP) created a toolkit to help agency partners, primary care providers and community advocates prepare for lead week, October 25-31, 2015. The Michigan toolkit contains ideas for local lead week activities, a sample press release, sample social media posts and a sample news article. Several CLPPP brochures have also been revised in anticipation of lead week, including the handout for parents, "Is Your Child Safe From Lead?" and a new handout for pregnant and breastfeeding mothers. A CLPPP program profile and a quick reference guide for primary care providers is also in the toolkit.
- <!--[if !supportLists]--><!--[endif]-->Genesee County Health Department Nursing Director, Toni La Rocco, will meet with Molina Healthcare of Michigan representative, Omar Sims, to plan a lead clinic in the near future.
- <!--[if !supportLists]--><!--[endif]-->DaVita Dialysis' Hurley location received 100 water filter systems on 10.16.15 from the Genesee County Health Department.
- <!--[if !supportLists]--><!--[endif]-->Planned Parenthood is scheduled to receive 100 water filter systems on 10.19.15 from the Genesee County Health Department.
- <!--[if !supportLists]--><!--[endif]-->Genesee County Health Department is working with Flint Mass Transit Authority (MTA) to distribute the water filter system to disabled and kidney dialysis YOUR RIDE customers.
- <!--[if !supportLists]--><!--[endif]-->Chris Mann will have additional conversations with the State to discuss updates to the database for tracking filter distribution.

- <!--[if !supportLists]--><!--[endif]-->Genesee County Environmental Health Supervisor, Jim Henry, is meeting with the DEQ laboratory director to discuss future samplings.

From: McShane, Hilda

Sent: Thursday, October 15, 2015 4:15 PM

To: 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; Brickey, Tamara; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; 'Istickler@gchd.us'; LaRocco, Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'lrey52@gmail.com'

Subject: RE: Genesee County Health Department water filter system daily mass notification - 10.14.15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- <!--[if !supportLists]--><!--[endif]-->As requested by the state of Michigan, Chris Mann of GCHD made all the requested changes to the water filter system database.
- <!--[if !supportLists]--><!--[endif]-->DaVita Dialysis Center has requested 100 water filter systems. Filters will be dropped off Wednesday, October 14.
- <!--[if !supportLists]--><!--[endif]-->Genesee County Health Department will be delivering 100 water filters to Planned Parenthood on Monday, October 19.
- <!--[if !supportLists]--><!--[endif]-->City of Flint Schools' Superintendent is reaching out to his principals requesting input on the distribution of the water filter system to staff and families.
- <!--[if !supportLists]--><!--[endif]-->Dr. Laura Carravallah reached out to Marc Edwards of Virginia Tech regarding the copper levels in the Flint water. Marc did test the Flint water and copper levels in the water are within EPA standards.
- <!--[if !supportLists]--><!--[endif]-->Nursing Director, Toni LaRocco, is finalizing plans for an upcoming lead clinic with McLaren Health Plan on November 5. Toni and staff are in talks with Molina Healthcare of Michigan to schedule another lead clinic.

From: McShane, Hilda

Sent: Wednesday, October 14, 2015 5:06 PM

To: 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; Brickey, Tamara; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; 'Istickler@gchd.us'; LaRocco, Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'

Subject: RE: Genesee County Health Department water filter system daily mass notification - 10.14.15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- <!--[if !supportLists]--><!--[endif]-->Chris Mann and GCHD Community Health Director, Tamara Brickey, are working with the State to insert more field information to the current Excel water filter database.
- <!--[if !supportLists]--><!--[endif]-->GCCARD's Lippincott location does not have stable internet connection and because of this, staff are not using the most up-to-date water filter system Excel file. The State is gathering this information and will send Genesee County Health Department their Excel database and we will upload the data on a daily basis.
- <!--[if !supportLists]--><!--[endif]-->Tamara has made contact with Flint Schools. She will make arrangement with staff and student's families to receive a water filter system. A date for the filter distribution to staff and student's families has not been set.
- <!--[if !supportLists]--><!--[endif]-->Jim Henry, GCHD Environmental Health Supervisor got a call from State. They are looking for our staff to do another round of sampling at all Flint schools who receive city of Flint water.
- <!--[if !supportLists]--><!--[endif]-->Planned Parenthood will receive 100 water filters for distribution to their clients.
- <!--[if !supportLists]--><!--[endif]-->GCHD will be making contact with the Disability Network to continue planning to reach the disabled population within Flint that need assistance obtaining a water filter.
- <!--[if !supportLists]--><!--[endif]-->MDEQ reached out to the CDC regarding the effects of bathing in water contaminated with lead. The experts are looking further into this matter. See attached FAQ Flint Water Fact sheet.
- <!--[if !supportLists]--><!--[endif]-->Dr. Caravella of GCHD's Board of Health is concerned whether the distributed water filter systems will remove copper. She is concerned about individuals in the community who have a rare condition related to copper.
- <!--[if !supportLists]--><!--[endif]-->Jim Henry is working to receive lab results in a timely manner.
- <!--[if !supportLists]--><!--[endif]-->GCHD Director of Nursing, Toni LaRocco had a conversation with various individuals from the State regarding blood lead clinic. Toni is working to implement an upcoming lead clinic for children, 0-5 scheduled with McLaren Health Plan. Toni is reaching out to the University of Michigan – Flint to have students and faculty present at all clinics. Toni is working on other locations to host clinics with other health plans. The first message for people should be that the first choice in testing should be at their primary care provider.
- <!--[if !supportLists]--><!--[endif]-->FAQs regarding lead and water for providers and public will be released in future from MDHHS.
- <!--[if !supportLists]--><!--[endif]-->As of October 13 the total distribution for both DHHS and GCCARD is 8447.

- <!--[if !supportLists]--><!--[endif]-->336 filters and pitchers were distributed on 10/13 by DHHS and GCCARD.
- <!--[if !supportLists]--><!--[endif]-->Daycares also began picking up filters and pitchers on yesterday as well from GCCARD.

From: McShane, Hilda

Sent: Tuesday, October 13, 2015 5:24 PM

To: 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; Brickey, Tamara; Jamie Gaskin; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; Andy Leavitt; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfqf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'tsitko@flintschool.org'; 'thelenr4@michigan.gov'; 'thompson52@mi.gov'; Valacak, Mark; Jamie-Lee Venable; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; 'lstickler@gchd.us'; LaRocco, Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'

Subject: Genesee County Health Department water filter system daily mass notification - 10.13.15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- 20,000 filters + 9,000 replacement filters have been delivered to Genesee County Community Action Resource Department (GCARD) and Michigan Department Health Human Services (MDHHHS).
- We are reminding partners to blackout the barcode on filter boxes before distribution.
- As of 10.13.15 Flint Housing Commission has distributed water filters to all of its housing units.
- Valley Area Agency on Aging (VAAA) is creating a list of homebound seniors. Three (3) state employees and Five (5) GCCARD employees are working through that list and will help with home installation.
- Distribution has been completed at Rosehaven Manor, Court Street Commons, Riverfront Dorms, Job Corp, and University of Michigan-Flint international student population
- Municipalities with residents that receive Flint City water will be contacted and asked to be the distribution point for the water filter system in their area by the City of Flint.
- Eileen Tomasi from Flint Schools has asked to use the elementary schools as water filter distribution points for both staff living in Flint and parents of school children. GCHD is awaiting a follow up conversation with the Flint Community Schools.
- Genesee County Health Department (GCHD) is starting to see an increase in requests for blood lead testing. GCHD Nursing Director, Toni LaRocco, is working with McLaren Health Plan to develop a lead clinic in November. University of Michigan-Flint has offered nursing students to assist at the clinic. Adults can use the Genesee County Health Department's Primary Care Clinic and the Health Department will bill insurance, or go on standing orders.

- Total filters distributed by MDHHS and GCCARD, 8,000. Genesee County Health Department has distributed 4,000 filters, which include approximately 2,700 to the public, 100 to Wellness Services, 100 to GCHD Primary Care Clinic, 100 to WIC, 100 to Reverence, and 375 to Hurley Maternal Infant Health Home Visiting Services.

Hilda McShane

Marketing Specialist

Genesee County Health Department

Phone: 810.341.7661

FAX: 810.257.3147

hmcshane@gchd.us



**Genesee County
Health Department**