

From: [Dykema, Linda D. \(DHHS\)](#)
To: [Krisztian, George \(DEQ\)](#); [Shekter Smith, Liane \(DEQ\)](#); [Busch, Stephen \(DEQ\)](#); [Cook, Pat \(DEQ\)](#); [Prysby, Mike \(DEQ\)](#)
Cc: [Sygo, Jim \(DEQ\)](#); [Edgerton, Shelly \(LARA\)](#)
Subject: RE: Preliminary and Deliberative Not subject to FOIA Request for Draft Sampling protocol
Date: Tuesday, October 13, 2015 8:50:48 AM
Attachments: [2013.8.6 PFOS QAPP Revised Final V4.0.pdf](#)

George,

HHS has EPA-approved Quality Assurance Plans for fish collection and testing (see attached). We don't have any from drinking water sampling, but the attached will provide an example of what is needed here.

Linda

From: Krisztian, George (DEQ)
Sent: Tuesday, October 13, 2015 8:34 AM
To: Shekter Smith, Liane (DEQ); Busch, Stephen (DEQ); Cook, Pat (DEQ); Prysby, Mike (DEQ)
Cc: Sygo, Jim (DEQ); Edgerton, Shelly (LARA); Dykema, Linda D. (DHHS)
Subject: Preliminary and Deliberative Not subject to FOIA Request for Draft Sampling protocol
Importance: High

I realize that the sampling protocol is a work in progress and will be changing here very shortly. In order to get everyone on the same page can you please provide the latest version to me and the group indicated in the CC line of this e-mail. Please make sure to date the version so that we can keep things straight moving forward.

Thank you
George

George L. Krisztian
Flint Action Plan Coordinator
Laboratory Director
Michigan Department of Environmental Quality
Desk ph (517) 284-6719
Cell ph (517) 204-0381