

Rennaker, Joanne (DEQ)

From: Reynolds, Lawrence <LawrenceR@mottchc.org>
Sent: Wednesday, November 11, 2015 7:13 AM
To: Howard Croft; Andy Leavitt
Cc: Marc Edwards; Wright, Michael; Amy Hovey; Anthony Chubb; Brent Wright; Lytle, Darren; Dayne Walling; Higgins, Deborah; donna. cole; Dykema, Linda D. (DHHS); Wells, Eden (DHHS); Krisztian, George (DEQ); Gerald (Jed) Natzke; James Henry; Jamie Gaskin; Jason Lorenz; jmikewright; JoAnne Herman; John O'Brien; Kevin J. Keane; Kirk Smith; larry.koehler@mcc.edu; Laura Sullivan; Michael Glasgow; Schock, Michael; Mike Lane; Prysby, Mike (DEQ); MVALACAK@gchd.us; Natasha Henderson; Norb Birchmeier; Pete Levine; Robert Bincsik; rosejo@msu.edu; Russell Hudson; Samir Matta; Sean Kammer; Shawn Patrick McElmurry; Busch, Stephen (DEQ); swalser@senatedems.org; Thompson, Sheryl D. (DHHS); Warren Green
Subject: RE: Technical Advisory Team Information

Can this change be sent out in the testing procedure document so we can see it in context ? Thank you .

From: Howard Croft [mailto:hcroft@cityofflint.com]
Sent: Tuesday, November 10, 2015 6:57 PM
To: Andy Leavitt
Cc: Marc Edwards; Wright, Michael; Amy Hovey; Anthony Chubb; Brent Wright; Lytle, Darren; Dayne Walling; Higgins, Deborah; donna. cole; dykema; Eden Wells (DHHS); George Krisztian (DEQ); Gerald (Jed) Natzke; James Henry; Jamie Gaskin; Jason Lorenz; jmikewright; JoAnne Herman; John O'Brien; Kevin J. Keane; Kirk Smith; larry.koehler@mcc.edu; Laura Sullivan; Reynolds, Lawrence; Reynolds, Lawrence; Michael Glasgow; Schock, Michael; Mike Lane; Mike Prysby (DEQ); MVALACAK@gchd.us; Natasha Henderson; Norb Birchmeier; Pete Levine; Robert Bincsik; rosejo@msu.edu; Russell Hudson; Samir Matta; Sean Kammer; Shawn Patrick McElmurry; Stephen Busch (DEQ); swalser@senatedems.org; thompsons2@michigan.gov; Warren Green
Subject: Re: Technical Advisory Team Information

Andy,

We just recently converted to the new method with no flushing, the vast majority were done with the old procedure. Our original expectation focused on the thought of a new standard being put in place statewide for uniformity but eventually, through conversations with Darren Lytle we made the decision to convert in advance of any potential statewide changes.

On Tue, Nov 10, 2015 at 6:40 PM, Andy Leavitt <aleavitt@senatedems.org> wrote:
Howard,

For clarity, of those hundreds of samples how many are with the flawed sampling method and how many are done with the appropriate sampling method?

Thanks,

Andy

On Tue, Nov 10, 2015 at 6:36 PM Howard Croft <hcroft@cityofflint.com> wrote:

Marc,

I believe that we agree with that message, we are planing to pursue all of the people who were sampled under the previous protocol and request that they submit to another round of testing with the new procedures. We have generated hundreds of samples this year and we intend to aggressively reach out to everyone for retesting. We are building a campaign that will continue to caution people about taking safe measures for drinking water but also produces neighborhood sampling pools that test several times throughout the course of the year in addition to tier 1 pools.

On Tue, Nov 10, 2015 at 5:14 PM, Marc Edwards <edwardsm@vt.edu> wrote:

No one should be told that if their water tested safe using the old MDEQ protocol, that it is ok to drink. I thought we learned that lesson already. The old sampling protocol is flawed.

Best Regards,

Marc

From: Howard Croft [<mailto:heroft@cityofflint.com>]

Sent: Tuesday, November 10, 2015 4:56 PM

To: Andy Leavitt

Cc: Wright, Michael; Amy Hovey; Anthony Chubb; Brent Wright; Lytle, Darren; Dayne Walling; Deborah Higgins; donna. cole; dykemal; Eden Wells (DIIHS); edwardsm; George Krisztian (DEQ); Gerald (Jed) Natzke; James Henry; Jamie Gaskin; Jason Lorenz; jmikewright; JoAnne Herman; John O'Brien; Kevin J. Keane; Kirk Smith; larry.koehler@mcc.edu; Laura Sullivan; Lawrence Reynolds; Lawrence Reynolds; Michael Glasgow; Schock, Michael; Mike Lanc; Mike Prysby (DEQ); MVALACAK@gchd.us; Natasha Henderson; Norb Birchmeier; Pete Levine; Robert Bincsik; rosejo@msu.edu; Russell Hudson; Samir Matta; Sean Kammer; Shawn Patrick McElmurry; Stephen Busch (DEQ); swalser@senatedems.org; thompsons2@michigan.gov; Warren Green

Subject: Re: Technical Advisory Team Information

Andy,

We changed the instructions late last week that called for flushing, all bottles are now going out with the new protocol attached. We are concerned that some people are still not removing filters from the tap so we are trying to focus on that aspect of communication as well..

On Tue, Nov 10, 2015 at 1:59 PM, Andy Leavitt <aleavitt@senatedcms.org> wrote: