

Rennaker, Joanne (DEQ)

From: Elmer R. Hess <ehess@audgen.michigan.gov>
Sent: Monday, November 23, 2015 9:11 AM
To: Rosenthal, Adam (DEQ)
Subject: RE: attachments

Thank you Adam,

Elmer

From: Rosenthal, Adam (DEQ) [<mailto:ROSENTHALA@michigan.gov>]
Sent: Friday, November 20, 2015 4:25 PM
To: Brandon M. McAndrew <bmcandrew@audgen.michigan.gov>; Elmer R. Hess <ehess@audgen.michigan.gov>
Cc: Busch, Stephen (DEQ) <BUSCHS@michigan.gov>; Prysby, Mike (DEQ) <PRYSBYM@michigan.gov>
Subject: attachments

Elmer & Brandon, attached for the City of Flint is the Bacteriological Sample Siting Plan, excluded sample results for 2015 Lead/Copper monitoring, and the Lead & Copper Certification form with instructions that indicate the Tier and Sample Category definitions.

thank you,

Adam Rosenthal, EQA
MDEQ – Office of Drinking Water and Municipal Assistance
Lansing District – Constitution Hall 1SW
PO Box 30242
Lansing, MI 48909
517-284-6644
fax: 517-241-3571

For MORs, Lab Results & Reporting Forms:
DEQ-DWMA-Lansing@michigan.gov

Rennaker, Joanne (DEQ)

From: Shekter Smith, Liane (DEQ)
Sent: Friday, November 20, 2015 1:17 PM
To: Rosenthal, Adam (DEQ); Rennaker, Joanne (DEQ)
Cc: Busch, Stephen (DEQ); Prysby, Mike (DEQ); Benzie, Richard (DEQ); Philip, Kris (DEQ); Devereaux, Tracy Jo (DEQ)
Subject: FW: Correspondence to the city of Flint
Importance: High

FYI

From: Krisztian, George (DEQ)
Sent: Friday, November 20, 2015 1:15 PM
To: Sygo, Jim (DEQ); Busch, Stephen (DEQ); Prysby, Mike (DEQ); Devereaux, Tracy Jo (DEQ); Shekter Smith, Liane (DEQ); Shaler, Karen (DEQ); Thelen, Mary Beth (DEQ); Feuerstein, Heather (DEQ); Copen, Leigh (DEQ)
Cc: Natasha Henderson (nhenderson@cityofflint.com)
Subject: Correspondence to the city of Flint
Importance: High

Please ensure that any communication that we have with the city of Flint includes a cc to Natasha Henderson. Please forward this e-mail to anyone who regularly corresponds with the city.

I have copied Natasha on this e-mail so that you have her address.

Thank you!
 George

George L. Krisztian
 Flint Action Plan Coordinator
 Laboratory Director
 Michigan Department of Environmental Quality
 Desk ph (517) 284-6719
 Cell ph (517) 420-5897