

Rennaker, Joanne (DEQ)

From: Prysby, Mike (DEQ)
Sent: Wednesday, January 14, 2015 7:48 AM
To: Hansen, Jeff
Cc: Busch, Stephen (DEQ)
Subject: RE: Flint THM Operational Evaluation Report Draft

Jeff,

I reviewed the draft OEL report and, in general, we concur with what is presented in the report. I noted some comments (nothing too critical) and intend to prepare a summary; however, I will call you today to go over them...we should also plan to meet and discuss the city's schedule to implement the activities discussed in the report.

Michael Prysby, P.E.
 District Engineer
 Office of Drinking Water and Municipal Assistance
 517 290-8817

From: Hansen, Jeff [<mailto:jrhansen@lan-inc.com>]
Sent: Tuesday, January 13, 2015 3:22 PM
To: Prysby, Mike (DEQ)
Subject: FW: Flint THM Operational Evaluation Report Draft

Hi Mike,

I figured it was about time to follow up and see if you had put together any review comments on the draft report for Flint?

Jeffrey R. Hansen
 Senior Project Manager

From: Hansen, Jeff
Sent: Monday, December 01, 2014 4:18 PM
To: Mike Prysby; 'buschs@michigan.gov'; 'cookp@michigan.gov'
Cc: Brent Wright (bwright@cityofflint.com); Daugherty Johnson (djohnson@cityofflint.com); hcroft@cityofflint.com; jwgreen@lan-inc.com; Matta, Samir; mglasgow@cityofflint.com
Subject: Flint THM Operational Evaluation Report Draft

Mike,

In response to your letter dated 9/10/14 and our meeting on 11/07/14 please find attached a draft of the OER for your review and comment.

Jeffrey R. Hansen
 Senior Project Manager



**Lockwood, Andrews
& Newnam, Inc.**

A LEO A DALY COMPANY

1311 South Linden Road, Suite B • Flint, MI 48532

T 810.820.2682 C 810.333.3201

www.lan-inc.com • JRHansen@lan-inc.com

CONFIDENTIALITY AND PRIVILEGE NOTICE: This email communication, including any and all attachments, (collectively, this "Communication"), is intended solely for the person(s) to whom it is addressed. This Communication may contain information that is privileged, confidential and/or proprietary. Any unauthorized use, disclosure or copying of this Communication is strictly prohibited. If you have received this Communication in error, please contact the sender immediately and destroy any and all copies of this Communication.