

Rennaker, Joanne (DEQ)

From: Busch, Stephen (DEQ)
Sent: Thursday, September 10, 2015 8:10 AM
To: Benzie, Richard (DEQ)
Cc: Rosenthal, Adam (DEQ); Shekter Smith, Liane (DEQ)
Subject: RE: Flint Pb&Cu Results

I believe the determination was made not to redact as the address is only a single piece of information. "Collected By" information is not directly related to the collection address.

Stephen Busch, P.E.
 MDEQ Lansing District Coordinator
 Office of Drinking Water and Municipal Assistance
 Lansing and Jackson District Supervisor
 517-643-2314
buschs@michigan.gov

From: Benzie, Richard (DEQ)
Sent: Wednesday, September 09, 2015 5:21 PM
To: Poy, Thomas
Cc: Busch, Stephen (DEQ); Rosenthal, Adam (DEQ); Shekter Smith, Liane (DEQ)
Subject: RE: Flint Pb&Cu Results

I don't think the addresses were redacted. Almost 25 years ago, we received an Attorney General's opinion that was issued in response to a FOIA request from the media for lead results from Flint that said we could withhold the addresses. However, I believe we have since determined we do not have that authority.

But I will have to ask the Lansing district staff to weigh in on this matter. Steve and Adam, did we redact addresses for this FOIA?

From: Poy, Thomas [<mailto:poy.thomas@epa.gov>]
Sent: Wednesday, September 09, 2015 3:41 PM
To: Benzie, Richard (DEQ)
Subject: RE: Flint Pb&Cu Results

Richard: Thank you for the analytical results. Were the addresses redacted before sending to the ACLU in response to their FOIA? I'm not comfortable sending addresses out, even if it is to a Congressman, so we are going to tell Congressman Kildee that he needs to call MDEQ's Congressional Liaison to get the results.

Tom

Tom Poy
 Chief, Ground Water and Drinking Water Branch
 USEPA - Region 5
 (312) 886-5991

From: Benzie, Richard (DEQ) [<mailto:BENZIER@michigan.gov>]
Sent: Wednesday, September 09, 2015 2:22 PM

To: Poy, Thomas

Cc: Rosenthal, Adam (DEQ); Prysby, Mike (DEQ); Busch, Stephen (DEQ); shekter1@michigan.gov

Subject: Flint Pb&Cu Results

Tom,

Here are the scanned analytical results from the latest round of compliance monitoring (January 1 – June 30, 2015) conducted in Flint. They were scanned for the purpose of responding to a Freedom of Information Act request.

I believe you already have a copy of the correspondence from our Lansing District Office notifying the city of Flint of the compliance determination that was based on these results.

If you need more information, contact Adam Rosenthal.

Richard

Richard Benzie, P.E., Chief
Field Operations Section
Office of Drinking Water and Municipal Assistance, MDEQ
517-284-6512