
From: Wurfel, Brad (DEQ)
Sent: Thursday, November 05, 2015 5:01 PM
To: cklaver@gongwer.com
Subject: RE: EPA Report On Lead
Attachments: image2015-11-03-155158.pdf

DEQ appreciates EPA finalizing its memo on the Flint situation. We appreciate the EPA's acknowledgement that most of the recommendations from the draft version of the report are already being implemented by DEQ.

Similarly, we appreciate that the EPA last night issued final guidance on its lead and copper rule, noting that it is ambiguous with respect to corrosion control and that DEQ's interpretation was not necessarily incorrect. The ambiguity of the lead and copper rule on the issue of corrosion control has been central to the situation in Flint. We appreciate having that acknowledged, and clarified. It can only help Michigan and every other state in the future.

b

From: Christopher Klaver [<mailto:cklaver@gongwer.com>]
Sent: Thursday, November 05, 2015 4:28 PM
To: Wurfel, Brad (DEQ)
Subject: EPA Report On Lead

Brad,

Does your shop have any comment on this final EPA report on lead in Flint's water? In particular, what changes is the state recommending to minimize construction effects on publics that might have lead-containing scale?

Thanks,

Christopher Klaver
Staff Writer
Gongwer News Service
cklaver@gongwer.com
517.482.3500
PPI (cell)
517.482.4369 (fax)
www.gongwer.com

News, Bill Tracking, Directories, Election Data, Administrative Rules –
Gongwer Is Your Complete Source For Staying In Touch With Michigan Government



This email has been checked for viruses by Avast antivirus software.
www.avast.com