

Chicago, IL 60604
Phone: (312) 886-5253

From: Griffin, Sylvia
Sent: Tuesday, May 26, 2015 10:03 AM
To: Deltoral, Miguel
Cc: Wroble, Amanda
Subject: FW: 1505003 & 1505004; ICP-MS (dw) metals (Cu, Pb, Zn); Flint MI

Please see the attached final results reports. Should you have any questions regarding this transmittal, please email or call me.

Thank you.

-Sylvia
3-9073

From: Wroble, Amanda
Sent: Tuesday, May 26, 2015 9:58 AM
To: Griffin, Sylvia
Subject: 1505003 & 1505004; ICP-MS (dw) metals (Cu, Pb, Zn); Flint MI

Amanda Wroble, Ph.D.
Chemist and Sample Coordinator
USEPA Region 5 Chicago Regional Laboratory
536 S. Clark St. ML-10C
Chicago, IL 60605
(312) 353-0375



Environmental Protection Agency Region 5
Chicago Regional Laboratory

536 South Clark Street, Chicago, IL 60605
 Phone: (312) 353-8370 Fax: (312) 886-2591

WORK ORDER

Printed: 5/18/2015 2:55:56PM

1505003

US EPA Region 5 Chicago Regional Laboratory

Client: Water Division, Drinking Water
Project: Flint, Michigan

Project Manager: Greg Mitsakopoulos
Project Number: [none]

Report To:

Miguel Del Toral
 Water Division, Drinking Water

77 West Jackson Boulevard
 Chicago, IL 60604

Phone: (312) 886-5253
 Fax: (312) 886-2001

Date Due: Jul-12-15 15:00 (60 day TAT)

Received By: Robert Snyder

Date Received: May-11-15 10:12

Logged In By: Robert Snyder

Date Logged In: May-11-15 16:42

Samples Received at: 21.8°C
 Sample tags/labels: Yes
 Seals Intact: Yes
 Received on ice: No
 Paperwork Included: Yes

Analysis	Due	TAT	Expires	Comments
1505003-01 1 [Water] Sampled May-06-15 07:20 (GMT-06:00) Central Time				
(US & Canada)				
Metals ICP-MS (DW)	Jul-12-15 12:00	60	Nov-02-15 07:20	pH = 7
Metals ICP (DW)	Jul-12-15 12:00	60	Nov-02-15 07:20	
1505003-02 2 [Water] Sampled May-06-15 07:20 (GMT-06:00) Central Time				
(US & Canada)				
Metals ICP (DW)	Jul-12-15 12:00	60	Nov-02-15 07:20	pH = 7
Metals ICP-MS (DW)	Jul-12-15 12:00	60	Nov-02-15 07:20	
1505003-03 3 [Water] Sampled May-06-15 07:20 (GMT-06:00) Central Time				
(US & Canada)				
Metals ICP (DW)	Jul-12-15 12:00	60	Nov-02-15 07:20	pH = 7
Metals ICP-MS (DW)	Jul-12-15 12:00	60	Nov-02-15 07:20	
1505003-04 4 [Water] Sampled May-06-15 07:20 (GMT-06:00) Central Time				
(US & Canada)				
Metals ICP (DW)	Jul-12-15 12:00	60	Nov-02-15 07:20	pH = 7
Metals ICP-MS (DW)	Jul-12-15 12:00	60	Nov-02-15 07:20	
1505003-05 5 [Water] Sampled May-06-15 07:20 (GMT-06:00) Central Time				
(US & Canada)				
Metals ICP (DW)	Jul-12-15 12:00	60	Nov-02-15 07:20	pH = 7
Metals ICP-MS (DW)	Jul-12-15 12:00	60	Nov-02-15 07:20	