
From: Henry, James <jhenry@gchd.us>
Sent: Thursday, October 01, 2015 4:00 PM
To: Prysby, Mike (DEQ)
Subject: FW: MDEQ Water Testing for Flint Community Schools
Attachments: Lead_Copper_Sampling_Instructions_329915_7.pdf, Flint School List.pdf

From: Henry, James
Sent: Thursday, October 1, 2015 1:53 PM
To: 'Sitko, Anthony M'; Busch, Stephen (DEQ); Tawwab, Bilal; Lisa Ermak
Cc: Pallone, Maggie (DEQ); Wurfel, Brad (DEQ)
Subject: RE: MDEQ Water Testing for Flint Community Schools

Good afternoon, below is the message that I sent to GCHD staff today. Please let me know if there are questions or concerns.

Thanks Jim

Attached is the school list w/assignments and sampling protocol. If the school locations are more geographical convenient for someone else, please feel free to switch.

Plan

- Report to GCHD tomorrow morning at regular scheduled time to pick up the water bottles and forms.
- Report to first school office w/identification (approx. 8:30am). They will have designated three sample locations per school. The school will have followed their part of the sampling protocol.
- Follow our part of the sampling protocol. Be very specific when identifying the location on the MDEQ sample form i.e. classroom numbers, NSEW, ect.
- Return to office with samples. MDEQ will pick up samples for analysis.

Let me know if there are questions/concerns. Thanks for helping to expedite the schools sampling.

Thanks Jim

Jim Henry RS, MBA
Environmental Health Supervisor
Genesee County Health Department www.gchd.us
630 S. Saginaw St., Suite 4
Flint, MI 48502-1540
Phone (810) 257-3618 Fax (810) 257-3125
E-mail jhenry@gchd.us



* NOTICE: This e-mail, including attachments, is intended for the exclusive use of the addressee and may contain proprietary, confidential or privileged information. If you are not the intended recipient, any disclosure, use, distribution, copying, or taking of any action in reliance of the contents of this e-mail is strictly prohibited. If you have received this e-mail in error, please notify me via e-mail and permanently delete the original and destroy all copies. Thank you.

For a copy of the Health Department's Notice of Information Practices, contact the Health Department or visit the Health Department's website at <http://www.gchd.us/>

From: Sitko, Anthony M [<mailto:tsitko@flintschools.org>]
Sent: Wednesday, September 30, 2015 11:10 AM
To: Henry, James; Busch, Stephen (DEQ); Tawwab, Bilal; Lisa Ermak
Cc: Pallone, Maggie (DEQ); Wurfel, Brad (DEQ)
Subject: RE: MDEQ Water Testing for Flint Community Schools

Thank you.

We ask that the GCHD staff collecting samples please report to the main office of each school site to sign in as visitors and present GCHD identification. Principals will identify the selected fountains and direct you to their locations.


Respectfully,
 Tony

From: Henry, James [<mailto:jhenry@gchd.us>]
Sent: Wednesday, September 30, 2015 10:07 AM
To: Busch, Stephen (DEQ); Tawwab, Bilal; Sitko, Anthony M
Cc: Pallone, Maggie (DEQ); Wurfel, Brad (DEQ)
Subject: RE: MDEQ Water Testing for Flint Community Schools

Got it, Thanks

GCHD staff will collect samples Friday morning, if it works for the schools. I will follow up with more detailed information.

Jim Henry RS, MBA
 Environmental Health Supervisor
 Genesee County Health Department www.gchd.us
 630 S. Saginaw St., Suite 4
 Flint, MI 48502-1540
 Phone (810) 257-3618 Fax (810) 257-3125
 E-mail jhenry@gchd.us



² NOTICE: This e-mail, including attachments, is intended for the exclusive use of the addressee and may contain proprietary, confidential or privileged information. If you are not the intended recipient, any disclosure, use, distribution, copying, or taking of any action in reliance of the contents of this e-mail is strictly prohibited. If you have received this e-mail in error, please notify me via e-mail and permanently delete the original and destroy all copies. Thank you.

For a copy of the Health Department's Notice of Information Practices, contact the Health Department or visit the Health Department's website at <http://www.gchd.us/>