
From: Shekter Smith, Liane (DEQ)
Sent: Tuesday, November 17, 2015 3:36 PM
To: Shaler, Karen (DEQ)
Subject: FW: Transmittal of Final Report - High Lead at Three Residences in Flint, Michigan
Attachments: Transmittal of Final redacted Report to MDEQ.pdf

From: Sygo, Jim (DEQ)
Sent: Wednesday, November 04, 2015 5:18 PM
To: Shekter Smith, Liane (DEQ); Busch, Stephen (DEQ); Prysby, Mike (DEQ); Cook, Pat (DEQ); Krisztian, George (DEQ)
Subject: FW: Transmittal of Final Report - High Lead at Three Residences in Flint, Michigan

Release of the report from Del Toral. With redactions?

From: Hyde, Tinka [<mailto:hyde.tinka@epa.gov>]
Sent: Wednesday, November 04, 2015 4:06 PM
To: Sygo, Jim (DEQ); hcroft@cityofflint.gov
Cc: nhenderson@cityofflint.gov
Subject: Transmittal of Final Report - High Lead at Three Residences in Flint, Michigan

Please find attached the Final Report - High Lead at Three Residences in Flint, Michigan. The report has been redacted to remove personally identifiable and medical information. Please let me know if you have any questions.

Tinka G. Hyde
Water Division Director
USEPA W-15J
77 W. Jackson Blvd
Chicago, IL 60604

Office: 312-886-9296

Cell: PPI