
From: Busch, Stephen (DEQ)
Sent: Sunday, September 13, 2015 11:22 PM
To: Benzie, Richard (DEQ); Shekter Smith, Liane (DEQ)
Cc: Devereaux, Tracy Jo (DEQ)
Subject: RE: Congressman Kildee Response
Attachments: Congressman Kildee Response.pdf

See attached pdf. See comment boxes associated with highlighted sections for suggested changes and comments.

Stephen Busch, P.E.
MDEQ Lansing District Coordinator
Office of Drinking Water and Municipal Assistance
Lansing and Jackson District Supervisor
517-643-2314
buschs@michigan.gov

From: Benzie, Richard (DEQ)
Sent: Friday, September 11, 2015 7:19 PM
To: Shekter Smith, Liane (DEQ); Busch, Stephen (DEQ)
Cc: Devereaux, Tracy Jo (DEQ)
Subject: Congressman Kildee Response

Here is my draft reply for the Director's signature. Steve, please correct anything you know to be in error or omitted. Liane, bleed at will.

There is a sentence in the paragraph near the end about the blood monitoring where we say that there is no change in blood lead levels "attributable to the change in water sources" or something like that. I am not sure we need the qualification that ends the sentence – if we could just say there is no change, it would seem to end any further discussion about it at this time. But I wasn't sure if there was a reason for that qualification so I did not remove it.