
From: Shekter Smith, Liane (DEQ)
Sent: Friday, October 30, 2015 1:04 PM
To: Graham, Lois (DEQ); Krisztian, George (DEQ); Devereaux, Tracy Jo (DEQ); Prysby, Mike (DEQ); Busch, Stephen (DEQ); Madziar, Joseph (LARA); Sygo, Jim (DEQ)
Subject: RE: Revised Sampling protocol dated October 29, 2015 DRAFT DELIBERATIVE.

Copper was also analyzed.

32CC is used for the small bottles,
 36CC for the 1 liter bottles,
 Both codes are for lead and copper analyses.

From: Graham, Lois (DEQ)
Sent: Friday, October 30, 2015 12:18 PM
To: Shekter Smith, Liane (DEQ); Krisztian, George (DEQ); Devereaux, Tracy Jo (DEQ); Prysby, Mike (DEQ); Busch, Stephen (DEQ); Madziar, Joseph (LARA); Sygo, Jim (DEQ)
Subject: RE: Revised Sampling protocol dated October 29, 2015 DRAFT DELIBERATIVE.

I made some adjustments to the working draft sampling protocol base on my experience from the Oct 24th sampling event.

Looking for consistency on what we call stuff: container/sample unit/sampling containers/bottle; sample sites/sample locations/outlet; Sample collection location code/unique outlet code etc.

We have two Collect the Samples sections that could be brought together, me thinks: Step 6, and the How to Collect an Initial First Draw, How to Collect Flush Samples could be merged.

~~I added a transition paragraph before the also labeled Step 6 Consecutive Sequential Samples.~~

I didn't save a copy of the pre-filled Request for Analysis form from last Saturday's event. We were using the 36CC sample unit for lead and copper. Was copper also analyzed? Or just lead? I only saw draft lead data.

What is the DEQ Drinking Water Lab test code for this testing protocol? (to George?)

Lois Elliott Graham, R.S., M.S.A.
 Office of Drinking Water and Municipal Assistance
 Field Operations Section
 517-284-6530
grahaml@michigan.gov



Subscribe to our Environmental Health Email List by clicking on the red envelope

From: Shekter Smith, Liane (DEQ)

Sent: Thursday, October 29, 2015 4:57 PM

To: Krisztian, George (DEQ); Devereaux, Tracy Jo (DEQ); Graham, Lois (DEQ); Prysby, Mike (DEQ); Busch, Stephen (DEQ); Madziar, Joseph (LARA); Sygo, Jim (DEQ)

Subject: Revised Sampling protocol dated October 29, 2015 DRAFT DELIBERATIVE.

Revised to address naming convention for the consecutive samples.