

Thank you!

Sincerely,
Lori Jane Gliha
America Tonight
Al Jazeera America
(202) 997-1382

=====

From: Lori Gliha <Lori.Gliha@aljazeera.net>
Date: December 11, 2015 at 10:52:44 AM CST
To: "WYANTD@MICHIGAN.GOV" <WYANTD@MICHIGAN.GOV>
Cc: "Wurfel, Brad (DEQ)" <Wurfel8@michigan.gov>, Sameen Amin <sameen.amin@aljazeera.net>
Subject: one additional question...

Hi Mr. Wyant,

In addition to the last email I sent, I wanted to clarify one more comment you made to make sure I clearly understand to which "protocol" you were referring.

In our interview, you said the following, "Simply said, the protocol that we were using - I do not believe it is protective of public health and therefore more needs to be done in our testing protocol to ensure that we're identifying risk. We're addressing lead exposure and we are dealing with the issue proactively. Flint deserves safe drinking water."

Are you referring to the method by which the state was testing for lead in the water when you use the word protocol in this statement?

Thank you for your help with these three questions.
Our story is scheduled to air December 16, at 9:30pm.

Sincerely,

Lori Jane Gliha
America Tonight
Al Jazeera America
(202) 997-1382

Notice: This email and any files transmitted with it are intended only for the use of the individuals or entities to whom they are addressed and may contain information that is confidential and privileged. If you have received this email in error, please notify the sender as soon as possible and delete this email from your system. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this email is strictly prohibited. Opinions, conclusions and other information in this message that do not relate to the official business of Al Jazeera shall be understood as neither given nor endorsed by Al Jazeera.