

Bruneau, Michelle (DHHS)

From: Dykema, Linda D. (DHHS)
Sent: Wednesday, October 28, 2015 2:17 PM
To: Groetsch, Kory J. (DHHS); Bruneau, Michelle (DHHS)
Subject: RE: Report

I've heard through Tracking that CLPPP and CDC are sometimes at odds about how the data are reported. It's not just MI, other states have the same issue. We can see if CLPPP disagrees with any of these definitions.

From: Groetsch, Kory J. (DHHS)
Sent: Wednesday, October 28, 2015 2:14 PM
To: Dykema, Linda D. (DHHS); Bruneau, Michelle (DHHS)
Subject: RE: Report

Will need to share that with Bob.

From: Dykema, Linda D. (DHHS)
Sent: Wednesday, October 28, 2015 2:09 PM
To: Groetsch, Kory J. (DHHS); Bruneau, Michelle (DHHS)
Subject: RE: Report

CDC definitions here: <http://www.cdc.gov/nceh/lead/data/definitions.htm>

From: Groetsch, Kory J. (DHHS)
Sent: Wednesday, October 28, 2015 2:03 PM
To: Bruneau, Michelle (DHHS); Dykema, Linda D. (DHHS)
Subject: RE: Report

Reports saved to:
 S:\DOCSHARE\Flint Water Lead Campaign\DIRECTOR REPORT\GENERATED REPORTS

For Discussion Tomorrow - the notion of having a more technical data printout:

Attached are Table shells and a couple ideas for surveillance of progress.

Saved to: S:\DOCSHARE\Flint Water Lead Campaign\DIRECTOR REPORT\WEEKLY DATA REPORTS

From: Bruneau, Michelle (DHHS)
Sent: Wednesday, October 28, 2015 1:53 PM
To: Dykema, Linda D. (DHHS); Groetsch, Kory J. (DHHS)
Subject: Report

> <{{{'> www.michigan.gov/eatsafefish <'}}}> <

Michelle Bruneau, MA
 Project Manager & Health Educator

Michigan Department of Health & Human Services
201 Townsend, 4th Fl
Lansing, MI 48913
Direct: (517) 335-8984
Toll free: 1-800-648-6942
Fax: (517) 335-8800
bruneau@michigan.gov