

To: 'Scott, Robert L. (DCH)'; Lawrence Reynolds; Laura Carravallah; Dr. Lawrence Reynolds, M.D.
Cc: Peeler, Nancy (DCH); Lishinski, Karen (DCH); Emily Houk (emily@r2pconsultants.com)
Subject: RE: Lead level data

Thanks Bob for your willingness to get us this data!

At Hurley Children's Hospital, we have run similar analysis of BLL for all kids 5 and under, and then a focus on kids 15 months and under, with first time lead levels starting from 01/01/2013 to date of water source change 04/25/14 and then compared one year after water switch 4/25/15 to current. We looked at the change in mean BLL and the change in the % of EBL. Our sample size is representative of the high risk City of Flint population (zip codes 48501-48507), yet the sample size would be much greater with your MCIR data. To have more data will greatly help us advocate for prevention and educate our families.

Thank you in advance!

Mona Hanna-Attisha MD MPH FAAP
 Program Director Pediatric Residency
 Hurley Children's Hospital at Hurley Medical Center
 Michigan State University College of Human Medicine
 Department of Pediatrics and Human Development
 Mhanna1@hurleymc.com

HURLEY
CHILDREN'S
HOSPITAL

From: Scott, Robert L. (DCH) [mailto:ScottR9@michigan.gov]
Sent: Wednesday, September 16, 2015 10:48 AM
To: Lawrence Reynolds; Mona Hanna-Attisha; Laura Carravallah; Dr. Lawrence Reynolds, M.D.
Cc: Peeler, Nancy (DCH); Lishinski, Karen (DCH); Emily Houk (emily@r2pconsultants.com); Scott, Robert L. (DCH)
Subject: RE: Lead level data

Dr. Reynolds,

I'll be happy to slice up the data in that way, including the most recent months available. I'll be out of the office for the next few days, but will work on it when I get back.

It's my understanding that the State will develop a fact sheet as well as a tip sheet on lead-safe water use for parents. I'm not sure how they'll be made public.

Thanks,
 Bob

Robert L. Scott

Childhood Lead Poisoning Prevention Program
Michigan Department of Health & Human Services
(517) 335-8178
fax (517) 335-8509

From: Lawrence Reynolds [mailto:lrey52@gmail.com]
Sent: Wednesday, September 16, 2015 10:31 AM
To: Scott, Robert L. (DCH) <ScottR9@michigan.gov>; Mona Hanna-Attisha <MHanna1@hurleymc.com>; Laura Carravallah <lcarrav1@yahoo.com>; Dr. Lawrence Reynolds, M.D. <reynolds@mottchc.org>
Subject: Lead level data

Good morning Mr. Scott .

Thank you for your timely response. I have reviewed the graphs with our GCHD and Dr. Mona Hanna-Attisha of Hurley. Is it possible to stratify the data by age -under 15 months, 16 months to under 6 years of age , over 6 years. Also can we get the most recent data for 2015.

At this point we will work with our patients to educate them.

Breast feeding is first choice .

I understand different filters do different things for lead , and not all get lead clumps from leaching pipes so we will not emphasize them.

We will try to get WIC to cover bottled water and encourage using water from outside the city system

Our goal is to give the most consistent correct information.

Are there any plans for public service announcements from the state ?

I am asking you to cc my reynolds@mottchc.org email along with lrey52@ gmail so I can access from anywhere.

Lawrence Reynolds