

Brownell's lead screening clinic where they educated participants on lead preventative and nutrition.

- Home Depot was at Brownell's clinic answering water filter installation questions.

From: McShane, Hilda
Sent: Monday, November 9, 2015 3:45 PM
To: 'hcroft@cityofflint.com'; 'kboles@vaileyaaa.org';
 'jboyer@co.genesee.mi.us'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)';
 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt';
 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfqf.org';
 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov';
 'thelennr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal,
 Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco,
 Toni; Brickey, Tamara; 'Eisner1@michigan.gov'; 'WellsE3@michigan.gov';
 'millerm1@michigan.gov'; 'roachb@michigan.gov';
 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary;
 'tsitko@flintschools.org'; 'plevine@gcins.org'; 'ksmith@flint.org';
 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov';
 'morans@michigan.gov'; 'robinsonm18@michigan.gov';
 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com';
 'Dayne Walling'; 'krisztiang@michigan.gov';
 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov';
 'tommasulok@michigan.gov'; 'WellsE3@michigan.gov';
 'lstickler@gchd.us'
Subject: RE: Genesee County Health Department EOC 11/9/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- GCCARD distributed a combination of water filters and replacement filters totaling 154.
- DHHS distributed a combination of water filters and replacement filters totaling 59.
- To date approximately 14,000 water filters have been distributed.
- Tamara Brickey (Genesee County Health Department) is working with Grand Blanc Schools for the purpose of distributing water filter replacement cartridges.
- Tamara continues to contact various organizations to get them replacement filters so that they in turn can distribute replacement filters to their clients.

From: McShane, Hilda
Sent: Friday, November 6, 2015 4:46 PM
To: Brickey, Tamara; McShane, Hilda; 'hcroft@cityofflint.com';
 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; 'Jamie Gaskin';
 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us';
 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov';
 'neeleyrep34@gmail.com'; 'ioliver@dfgf.org';
 'mpurcell@co.genesee.mi.us'; 'schenowk@michigan.gov';
 'thelarr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal,
 Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco,
 Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov';
 'millerm1@michigan.gov'; 'roachb@michigan.gov';
 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary;
 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org';
 'mhanna1@hurleymc.com'; 'gonzaleszj6@michigan.gov';
 'morans@michigan.gov'; 'robinsonm18@michigan.gov';
 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com';
 'Dayne Walling'; 'nhenderson@cityofflint.com';
 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov';
 'WellsE3@michigan.gov'
Subject: Genesee County Health Department EOC 11/5/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department's (GCHD) Women, Infant and Children (WIC) program has distributed 300 water filters.
- Sixty water filters and replacement cartridges were distributed at yesterday's lead screening clinic.
- There was an additional three lead clinic participants at Genesee County Health Department's lead screening clinic hosted by Genesee County Health Department and McLaren Health Plan on Thursday, November 5 in Burton, Michigan. The final total for this lead screening clinic is 42 participants.
- There was a correction made to abc12's segment covering the lead screening program that was corrected on GCHD's social media platforms. Abc12 will make the correction at their end as well.