
From: Lasher, GERALYN (DHHS)
Sent: Wednesday, October 07, 2015 11:28 AM
To: Eisner, Jennifer (DHHS); Agen, Jarrod (GOV); Wurfel, Sara (GOV); Murray, David (GOV); Wurfel, Brad (DEQ); Tommasulo, Karen (DEQ)
Cc: Minicuci, Angela (DHHS)
Subject: RE: Filter Update PR

We also just got off the phone with the head of communications for NSF and they are also putting a statement out affirming that the filters purchased by MDHHS are certified for lead reduction. I will pass that statement along as soon as we get it.

From: Eisner, Jennifer (DHHS)
Sent: Wednesday, October 07, 2015 11:17 AM
To: Agen, Jarrod (GOV) <AgenJ@michigan.gov>; Wurfel, Sara (GOV) <Wurfels@michigan.gov>; Murray, David (GOV) <MurrayD1@michigan.gov>; Wurfel, Brad (DEQ) <WurfelB@michigan.gov>; Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov>
Cc: Lasher, GERALYN (DHHS) <lasherg@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Subject: Filter Update PR
Importance: High

All –

Attached for your review is an update about filter distribution to announce extended hours and reaffirm that these filters are certified to reduce lead in drinking water.

Please let me know as soon as possible if you have edits. We're aiming to get this out within the hour.

Thank you,

Jennifer (Smith) Eisner
Public Information Officer
Michigan Department of Health and Human Services
517-241-2112